

The `powerLaw` package: a general overview

Colin S. Gillespie

Last updated: June 11, 2014

The `powerLaw` package provides code to fit heavy tailed distributions, including discrete and continuous power-law distributions. Each model is fitted using a maximum likelihood procedure and cut-off value, x_{\min} , is estimated by minimising the Kolmogorov-Smirnoff statistic.

1 Installation

The package is hosted on CRAN and can be installed in the standard way

```
install.packages("powerLaw")
```

The developmental version is hosted on github and can be installed using the `devtools` package¹

```
install.packages("devtools")
library("devtools")
install_github("powerLaw", "csgillespie", subdir="pkg")
```

Once installed, the package can be loaded ready for use with the standard `library` command

```
library("powerLaw")
```

2 Accessing documentation

Each function and dataset in the package is documented. The command

```
help(package="powerLaw")
```

will give a brief overview of the package and a complete list of all functions. The list of vignettes associated with the package can be obtained with

```
vignette(package="powerLaw")
```

or

¹If you are using Windows, then you will need to install the `Rtools` package first.

```
browseVignettes("powerLaw")
```

Help on functions can be obtained using the usual R mechanisms. For example, help on the method `displ` can be obtained with

```
?displ
```

and the associated examples can be run with

```
example(displ)
```

A list of demos and data sets associated with the package can be obtained with

```
demo(package="powerLaw")  
data(package="powerLaw")
```

For example, the Moby dick data set can be load using²

```
data("moby")
```

After running this command, the vector `moby` will be accessible, and can be examined by typing

```
moby
```

at the R command prompt.

If you use this package, please cite it. The appropriate citation can be obtained via:

```
citation("powerLaw")
```

3 Example: Word frequency in Moby Dick

This example investigates the frequency of occurrence of unique words in the novel Moby Dick by Herman Melville (see Clauset et al. (2009); Newman (2005)). The data can be downloaded from

<http://tuvalu.santafe.edu/~aaronc/powerlaws/data.htm>

or loaded directly

```
data("moby")
```

3.1 Fitting a discrete power-law

To fit a discrete power-law,³ we create a discrete power-law object using the `displ` method⁴

²The package also contains the data set `moby_sample`. This data set is two thousand randomly sampled values from the larger `moby` data set.

³The examples vignette contains a more thorough analysis of this particular data set.

⁴`displ`: discrete power-law.

```
m_m = displ$new(moby)
```

Initially the lower cut-off x_{\min} is set to the smallest x value and the scaling parameter α is set to NULL

```
m_m$getXmin()
## [1] 1
m_m$getPars()
## NULL
```

This object also has standard setters

```
m_m$setXmin(5)
m_m$setPars(2)
```

For a given x_{\min} value, we can estimate the corresponding α value by numerically maximising the likelihood ⁵

```
(est = estimate_pars(m_m))
## $pars
## [1] 1.926
##
## $value
## [1] 14873
##
## $counts
## function gradient
##      5      5
##
## $convergence
## [1] 0
##
## $message
## [1] "CONVERGENCE: REL_REDUCTION_OF_F <= FACTR*EPSMCH"
##
## attr(,"class")
## [1] "estimate_pars"
```


For the Moby Dick data set, when $x_{\min} = 5$, we estimate α to be 1.926.

To estimate the lower bound x_{\min} , we minimise the distance between the data and the fitted model CDF, that is

$$D(x) = \max_{x \geq x_{\min}} |S(x) - P(x)|$$

where $S(x)$ is the data CDF and $P(x)$ is the theoretical CDF. The value $D(x)$ is known as the Kolmogorov-Smirnov statistic. Our estimate of x_{\min} is then the value of x that minimises $D(x)$:

⁵Instead of calculating the MLE, we could use a parameter scan: `estimate_pars(m_m, pars=seq(2, 3, 0.1))`



Figure~1: (a) Plot of the data CDF for the Moby Dick data set. This corresponds to figure 6.1(a) in Clauset et~al. (2009). The line corresponds to a power-law distribution with parameters $x_{\min} = 7$ and $\alpha = 1.95$.(b) Characterising uncertainty in parameter values using the bootstrap x_{\min} uncertainty, (c) α uncertainty (d) Bivariate scatter plot of x_{\min} and α .

```
(est = estimate_xmin(m_m))

## $KS
## [1] 0.008253
##
## $xmin
## [1] 7
##
## $pars
## [1] 1.953
##
## attr("class")
## [1] "estimate_xmin"
```

Algorithm 1: Uncertainty in x_{\min}

- 1: Set N equal to the number of values in the original data set
- 2: **for** i in $1:B$:
- 3: Sample N values from the original data set
- 4: Estimate x_{\min} and α using the Kolmogorov-Smirnoff statistic
- 5: **end for**

For the Moby-Dick data set, the minimum⁶ is achieved when $x_{\min} = 7$ and $D(7) = 0.0082$. We can then set parameters of power-law distribution to these "optimal" values

```
m_m$setXmin(est)
```

All distribution objects have generic plot methods⁷

```
## Plot the data (from xmin)
plot(m_m)
## Add in the fitted distribution
lines(m_m, col=2)
```

which gives figure 1. When calling the `plot` and `lines` functions, the data plotted is actually invisibly returned, i.e.

```
dd = plot(m_m)
head(dd, 3)

##   x     y
## 1 1 1.0000
## 2 2 0.5141
## 3 3 0.3505
```

This makes it straight forward to create graphics using other R packages, such as `ggplot2`.

3.2 Uncertainty in x_{\min}

Clauset et al. recommend a bootstrap procedure to get a handle on parameter uncertainty. Essentially, we sample with replacement from the data set and then re-infer the parameters (algorithm 1).

To run the bootstrapping procedure, we use the `bootstrap` function

```
bs = bootstrap(m_m, no_of_sims=1000, threads=1)
```

this function runs in parallel, with the number of threads used determined by the `threads` argument. To detect the number of cores on your machine, you can run:

```
parallel::detectCores()

## [1] 8
```

The object returned by `bootstrap` is a list with three elements.

⁶These estimates match the values in the Clauset et al. paper.

⁷Generic `lines` and `points` functions are also available.

Algorithm 2: Do we have a power-law?

-
- 1: Calculate point estimates of x_{\min} and the scaling parameter α .
 - 2: Calculate the KS statistic, KS_d , for the original data set.
 - 3: Set n_1 equal to the number of values below `xmin`.
 - 4: Set $n_2 = n - n_1$ and $P = 0$.
 - 5: **for** i in $1:B$:
 - 6: Simulate n_1 values from a discrete uniform distribution: $U(1, x_{\min})$ and n_2 values from a discrete power-law distribution (with parameter α).
 - 7: Calculate the associated KS statistic, KS_{sim} .
 - 8: If $KS_d > KS_{sim}$, then $P = P + 1$.
 - 9: **end for**
 - 10: $p = P/B$
-

- The original Kolmogorov-Smirnov statistic.
- The results of the bootstrapping procedure.
- The average time (in seconds) for a single bootstrap.

The results of the bootstrap procedure can be investigated with histograms

```
hist(bs$bootstraps[,2], breaks="fd")
hist(bs$bootstraps[,3], breaks="fd")
```

and a bivariate scatter plot

```
plot(jitter(bs$bootstraps[,2], factor=1.2), bs$bootstraps[,3])
```

These commands give figure 1b–d..

3.3 Do we have a power-law?

Since it is possible to fit a power-law distribution to *any* data set, it is appropriate to test whether it the observed data set actually follows a power-law.⁸ Clauset *et al*, suggest that this hypothesis is tested using a goodness-of-fit test, via a bootstrapping procedure. Essentially, we perform a hypothesis test by generating multiple data sets (with parameters x_{\min} and α) and then "re-inferring" the model parameters. The algorithm is detailed in Algorithm 2.

When α is close to one, this algorithm can be particularly time consuming to run, for two reasons:

1. When generating random numbers from the discrete power-law distribution, large values are probable, i.e. values greater than 10^8 . To overcome this bottleneck, when generating the random numbers all numbers larger than 10^5 are generated using a continuous approximation.
2. To calculate the Kolmogorov-Smirnov statistic, we need explore the state space. It is computationally infeasible to explore the entire state space when $\max(x) \gg 10^5$. To make this algorithm computational feasible, we split the state space into two sections. The first section is all values from

$$x_{\min}, x_{\min} + 1, x_{\min} + 2, \dots, 10^5$$

⁸Algorithm 2 can be easily extended for other distributions.




Figure 2: Histograms of the bootstrap results and bivariate scatter plot of the bootstrap results. The values of x_{\min} and α are obviously strongly correlated.

this set is combined with an additional 10^5 values from

$$10^5, \dots, \max(x)$$

To determine whether the underlying distribution is a power-law we use the `bootstrap_p` function

```
## This may take a while
## Use the mle to estimate the parameters
bs_p = bootstrap_p(m_m, no_of_sims=1000, threads=2)
```

The object returned from the bootstrap procedure contains four elements

- A p -value - `bs_p$p`. For this example, $p = 0.6778$ which indicates that we can not rule out the power law model. See section 4.2 of the Clauset paper for further details.
- The original goodness of fit statistic - `bs_p$gof`.
- The result of the bootstrap procedure - a data frame with three columns.
- The average time (in seconds) for a single bootstrap realisation.

The results of this procedure are shown in figure 2.

4 Distribution objects

For the Moby Dick example, we created a `displ` object

```
m_m = displ$new(moby)
```

The object `m_m` has class `displ` and inherits the `discrete.distribution` class. A list of available distributions are given in table 1.

Distribution	Object name	# Parameters
Discrete Power-law	<code>displ</code>	1
Discrete Log-normal	<code>dislnorm</code>	2
Discrete Exponential	<code>disexp</code>	1
Poisson	<code>dispois</code>	1
CTN Power-law	<code>conpl</code>	1
CTN Log-normal	<code>conlnorm</code>	2

Table 1: Available distributions in the *powerLaw* package. These objects are all reference classes.

All distribution objects listed in table 1 are reference classes.⁹ Each distribution object has four fields:

- `dat`: a copy of the data set.
- `xmin`: the lower cut-off x_{\min} .
- `pars`: a vector of parameter values.
- `internal`: a list of values use in different numerical procedures. This will differ between distribution objects.

By using the mutable states of reference objects, we are able to create efficient caching. For example, the mle of discrete power-laws uses the statistic:

$$\sum_{i=x_{\min}}^n \log(x_i)$$

This value is calculated once for all values of x_{\min} , then iterated over when estimating x_{\min} .

All distribution objects have a number of methods available. A list of methods is given in table 2. See the associated help files for further details.

5 Loading data

Typically, data is stored in a csv or text file. To use this data, we load it in the usual way¹⁰

```
blackouts = read.table("blackouts.txt")
```

Distribution objects take vectors as inputs, so

```
m_bl = conpl$new(blackouts$V1)
```

will create a continuous power law object.

⁹See `?setRefClass` for further details on references classes.

¹⁰The blackouts data set can be obtained from Clauset's website: <http://goo.gl/BsqnP>

Method Name	Description
<code>dist_cdf</code>	Cumulative density/mass function (CDF)
<code>dist_pdf</code>	Probability density/mass function (pdf)
<code>dist_rand</code>	Random number generator
<code>dist_data_cdf</code>	Data CDF
<code>dist_ll</code>	Log-likelihood
<code>estimate_xmin</code>	Point estimates of the cut-off point and parameter values
<code>estimate_pars</code>	Point estimates of the parameters (conditional on the current x_{\min} value)
<code>bootstrap</code>	Bootstrap procedure (uncertainty in x_{\min})
<code>bootstrap_p</code>	Bootstrap procedure to test whether we have a power-law

Table~2: A list of functions for `distribution` functions. These objects do not change the object states. However, they may not be thread safe.

6 Comparison with the `plfit` script

6.1 The discrete case

Other implementations of estimating the lower bound can be found at

<http://tuvalu.santafe.edu/~aaronc/powerlaws/>

In particular, the script for estimating x_{\min} can be loaded using

```
source("http://tuvalu.santafe.edu/~aaronc/powerlaws/plfit.r")
```

The results are directly comparable to the `powerLaw` package. For example, consider the Moby Dick data set again, we have

```
plfit(moby)
## $xmin
## [1] 7
##
## $alpha
## [1] 1.95
##
## $D
## [1] 0.009289
```

Notice that the results are slightly different. This is because the `plfit` by default does a parameter scan over the range

1.50, 1.51, 1.52, ..., 2.49, 2.50

To exactly replicate the results, we could use




Figure 3: CDF plot of the blackout dataset with line of best fit. Since the minimum value of x is large, we fit a continuous power-law as this is more efficient.

```
estimate_xmin(m_m, pars=seq(1.5, 2.5, 0.01))
```

6.2 The continuous case

The `plfit` script also fits continuous power-laws. Again the results are comparable.

For example, suppose we have one thousand random numbers from a continuous power-law distributions with parameters $\alpha = 2.5$ and $x_{\min} = 10.0$

```
r = rplcon(1000, 10, 2.5)
```

The `plfit` automatically detects if the data is continuous

```
plfit(r)

## $xmin
## [1] 10.01
##
## $alpha
## [1] 2.437
##
## $D
## [1] 0.01754
```

Fitting with the `powerLaw` package gives approximately the same values

```
m_r = compl$new(r)
(est = estimate_xmin(m_r))

## $KS
## [1] 0.01791
##
```




Figure 4: CDF plot of one thousand random numbers generated from a power-law with parameters $\alpha = 2.5$ and $x_{\min} = 10$. The line of best fit is also shown.

```
## $xmin
## [1] 10.01
##
## $pars
## [1] 2.435
##
## attr(,"class")
## [1] "estimate_xmin"

m_r$setXmin(est)
```

Of course, using the `powerLaw` package we can easily plot the data

```
plot(m_r)
lines(m_r, col=2)
```

to get figure 4.

References

- A.~Clauset, C.R. Shalizi, and M.E.J. Newman. Power-law distributions in empirical data. *SIAM Review*, 51(4):661–703, 2009.
- M.E.J. Newman. Power laws, Pareto distributions and Zipf’s law. *Contemporary Physics*, 46(5): 323–351, 2005.