

ukbill:
A package for typesetting UK legislation

Elijah Z Granet*

1 December 2022

Version 1.0.0

Contents

1	Overview	2
2	Usage	2
2.1	Calling the package	2
2.2	Declaring variables	2
2.3	Bill parts	3
2.4	Sections	3
2.5	Schedules	4
2.6	The ‘private’ Option	4
3	Future Development	4
4	Licence	4
5	Version History	4
5.1	1.0.0	4
6	Implementation	5

*e-mail: ezg21@cantab.ac.uk

1 Overview

This is a class for typesetting bills in the standard used by the Parliament of the United Kingdom. It is meant to be of use to students of law and politics, to Parliamentary agents and lawyers drafting private bills, and to aid in the construct of proposals for law reform. The use of this package requires the libre font ‘Palatine Parliamentary’, which imitates the official typeface of the UK Parliament.¹

2 Usage

For an example of the usage of the package, please see the attached ‘immigration-bill.tex’ example in the package archive.

2.1 Calling the package

Call the package with `\documentclass{ukbill}`

2.2 Declaring variables

In your preamble, declare the following variables to populate your bill.

Variable name	Explanation
<code>\drafter{}</code>	The drafter of the bill
<code>\billcopyright{}</code>	Copyright notice at the end of the bill
<code>\publishedby{}</code>	The publisher of the bill for notice at the end of the bill
<code>\billtitle{}</code>	The title of the bill
<code>billto{}</code>	The purpose or long title of the bill
<code>\humanrights{}</code>	The statutorily required statement under the Human Rights Act 1998
<code>\exptitle{}</code>	The title of the explanatory section—if you have extra notes added separately, title it ‘Explanatory Notes’; otherwise use ‘Explanatory Memorandum’
<code>\exptext{}</code>	The content of the explanatory memorandum (or notice about separate explanatory notes)
<code>\billnum{}</code>	The number of the bill for the cover sheet and back page
<code>\whereas{}</code>	This variable is needed only in the private option of the class. It contains the recitals, best formatted as a numbered list

¹The font is available at this link: <https://github.com/ezgranet/palatine-parliamentary>

2.3 Bill parts

The command `\chapter` divides the main content of the bill up into appropriate parts noted in the Table of Contents. For example, ‘Introductory Provisions’.

2.4 Sections

The section is the main unit of legislation and is titled with `\section`. Most sections will be numbered and numbered subsections use the `numstat` environment as follows:

```
\begin{numstat}
  \item The first provision
  \item The second provision
\end{numstat}
```

Often, these sections will be nested with alphabetical subsubsections, Roman paragraphs, and double alphabetical (*ie*, ‘aa’) subparagraphs. These are called with `alphstat`, `romstat`, and `twoalphstat`, respectively.

```
\begin{numstat}
  \item A subsection
  \begin{alphstat}
    \item Nesting
    \begin{romstat}
      \item Even more nesting
      \begin{twoalphstat}
        \item this is too much nesting now,
        ↪ lads
      \end{twoalphstat}
    \end{romstat}
  \end{alphstat}
  \item a subsection again
\end{numstat}
```

Occasionally, a section will have only one provision, and therefore no numbering is needed. In this case, use the `nostat` environment.

```
\begin{nostat}
  \item The first provision
  \item The second provision
\end{nostat}
```

2.5 Schedules

Some legislation requires schedules appended to the body of main legislation. To begin typesetting schedules (as opposed to the preceding main content of the bill), use the command `\startschedule`

A schedule is then named by the command `\schedule{Name}`, while a Part (*ie*, a subset of a schedule) is called using `\schdpart{name}`

2.6 The ‘private’ Option

Private bills have a different enacting formula and also make use of recitals. Drafting private bills therefore requires you to call the class with the option `\documentclass[private]{ukbill}`

3 Future Development

The package’s online repository is the best place to report bugs, feature requests, or other contributions, and is located at:
github.com/ezgranet/ukbill.

4 Licence

This project is licensed under the Latex Public Project Licence version 1.3c. This documentation is copyright of the author but licensed under CC-BY-SA 4.0.

5 Version History

5.1 1.0.0

1 December 2022: Class Creation

6 Implementation

```
22 \NeedsTeXFormat{LaTeX2e}
23 \def\ukbillversionnumber{1.0.0}
24 \ProvidesClass{ukbill}[2022-12-01 A Class for Legal Notes]
25 % !TeX program = lualatex
26 % !TeX encoding = utf8
27 % This work may be distributed and/or modified under the
28 % conditions of the LaTeX Project Public License, either version 1.3c
29 % of this license or (at your option) any later version.
30 % The latest version of this license is in
31 % http://www.latex-project.org/lppl.txt
32 % and version 1.3c or later is part of all distributions of LaTeX
33 % version 2005/12/01 or later.
34 %
35 % This work has the LPPL maintenance status `maintained'.
36 %
37 % The Current Maintainer of this work is Elijah Z Granet
38
39
40 \LoadClass[a4paper,12pt]{memoir}
41 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
42 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
43 % schedule divisions
44 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
45 \newcommand{\schdpart}[1]{\subsubsection{#1}}
46 \newcommand{\startschedule}{\clearpage}
47 \setcounter{schedon}{1}
48 %\setcounter{subsection}{0}
49 \setcounter{part}{0}
50 \begin{center}
51 \large\textsc{SCHEDULES}
52 \end{center}
53 \addcontentsline{toc}{chapter}{\rule{.45\textwidth}{1pt}}
54 }
55 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
56 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
57 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
58 % Variables
59 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
60 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
61 \makeatletter
62 \newcommand{\drafter}[1]{\def\@drafter{#1}}
63 \newcommand{\printdrafter}{\@drafter}
64 \def\@drafter{\@latex@warning@no@line{No \noexpand\drafter given}}
65 \newcommand{\billcopyright}[1]{\def\@billcopyright{#1}}
```

```

66 \newcommand{\printbillcopyright}{\@billcopyright}
67 \def\@billcopyright{\@latex@warning@no@line{No \noexpand\billcopyright given}}
68 \newcommand{\billto}[1]{\def\@billto{#1}}
69 \newcommand{\printbillto}{\@billto}
70 \def\@billto{\@latex@warning@no@line{No \noexpand\billto given}}
71 \newcommand{\whereas}[1]{\def\@whereas{#1}}
72 \newcommand{\printwhereas}{\@whereas}
73
74 \newcommand{\publishedby}[1]{\def\@publishedby{#1}}
75 \newcommand{\printpublishedby}{\@publishedby}
76 \def\@publishedby{\@latex@warning@no@line{No \noexpand\publishedby given}}
77 \newcommand{\billtitle}[1]{\def\@billtitle{#1}}
78 \newcommand{\printbilltitle}{\@billtitle}
79 \def\@billtitle{\@latex@warning@no@line{No \noexpand\billtitle given}}
80 \newcommand{\humanrights}[1]{\def\@humanrights{#1}}
81 \newcommand{\printhumanrights}{\@humanrights}
82 \def\@humanrights{\@latex@warning@no@line{No \noexpand\humanrightsgiven}}
83 }
84 \newcommand{\exptitle}[1]{\def\@exptitle{#1}}
85 \newcommand{\printexptitle}{\@exptitle}
86 \def\@exptitle{\@latex@warning@no@line{No \noexpand\exptitle given}}
87 \newcommand{\exptext}[1]{\def\@exptext{#1}}
88 \newcommand{\printexptext}{\@exptext}
89 \def\@exptext{\@latex@warning@no@line{No \noexpand\exptext given}}
90 \newcommand{\billnum}[1]{\def\@billnum{#1}}
91 \newcommand{\printbillnum}{\@billnum}
92 \def\@billnum{\@latex@warning@no@line{No \noexpand\billnum given}}
93
94
95 \makeatother
96 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
97 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
98 % hyphenation
99 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
100 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
101 \RequirePackage[none]{hyphenat}
102 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
103 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
104 % list organisation
105 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
106 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
107 \RequirePackage{paralist}
108 \let\itemize\compactitem
109 \let\enditemize\endcompactitem
110 \let\enumerate\compactenum
111 \let\endenumerate\endcompactenum
112 \let\description\compactdesc

```

```

113 \let\enddescription\endcompactdesc
114 \pltopsep=-12pt
115 \plitemsep=0pt
116 \plparsep=0pt
117 \newcounter{schedcount}
118 \counterwithout{section}{chapter}
119
120 \counterwithin{schedcount}{subsubsection}
121 \setsecnumdepth{subsubsection}
122 \def\tocmark{\markboth{\MakeTextUppercase{}}{}}
123 \RequirePackage[absolute]{textpos}
124 \setlength{\TPHorizModule}{10mm}
125 \setlength{\TPVertModule}{10mm}
126 \TPGrid[15mm,1mm]{8}{9} % Divide page in 9x9 grid
127 \DeclareRobustCommand{\Leftblock}{\{
128 \begin{textblock}{10}(0.5,1.8)\footnotesize\itshape 5\end{textblock}
129 \begin{textblock}{10}(0.5,2.7)\footnotesize\itshape 10\end{textblock}
130 \begin{textblock}{10}(0.5,3.6)\footnotesize\itshape 15\end{textblock}
131 \begin{textblock}{10}(0.5,4.5)\footnotesize\itshape 20\end{textblock}
132 \begin{textblock}{10}(0.5,5.4)\footnotesize\itshape 25\end{textblock}
133 \begin{textblock}{10}(0.5,6.3)\footnotesize\itshape 30\end{textblock}
134 \begin{textblock}{10}(0.5,7.2)\footnotesize\itshape 35\end{textblock}
135 \}
136 \DeclareRobustCommand{\Rightblock}{\{
137 \begin{textblock}{10}(7.75,1.8)\footnotesize\itshape 5\end{textblock}
138 \begin{textblock}{10}(7.75,2.7)\footnotesize\itshape 10\end{textblock}
139 \begin{textblock}{10}(7.75,3.6)\footnotesize\itshape 15\end{textblock}
140 \begin{textblock}{10}(7.75,4.5)\footnotesize\itshape 20\end{textblock}
141 \begin{textblock}{10}(7.75,5.4)\footnotesize\itshape 25\end{textblock}
142 \begin{textblock}{10}(7.75,6.3)\footnotesize\itshape 30\end{textblock}
143 \begin{textblock}{10}(7.75,7.2)\footnotesize\itshape 35\end{textblock}
144 \}
145 \DeclareRobustCommand{\Firstblock}{\{
146 %\begin{textblock}{10}(7.75,1.8)\footnotesize\itshape 5\end{textblock}
147 %\begin{textblock}{10}(7.75,2.7)\footnotesize\itshape 10\end{textblock}
148 %\begin{textblock}{10}(7.75,3.6)\footnotesize\itshape 15\end{textblock}
149 \begin{textblock}{10}(7.75,4.5)\footnotesize\itshape 5\end{textblock}
150 \begin{textblock}{5}(7.75,5.4)\footnotesize\itshape 10\end{textblock}
151 \begin{textblock}{10}(7.75,6.3)\footnotesize\itshape 15\end{textblock}
152 \begin{textblock}{10}(7.75,7.2)\footnotesize\itshape 20\end{textblock}
153 \}
154
155 \RequirePackage{ccicons}
156 \makepagestyle{bill}
157 \makepagestyle{billfirst}
158
159 \makeatletter

```

```

160 \makepsmarks {bill}{
161 \nouppercaseheads}
162 \makeatother
163 \makeatletter
164 \renewcommand{\bookpagemark}[1]{\itshape\thetitle\}
165 \makepsmarks {billfirst}{
166 \nouppercaseheads}
167 \makeatother
168 \renewcommand{\bookpagemark}[1]{\noindent\itshape\thetitle\}
169
170 % \renewcommand{\partpagemark}[1]{\itshape\thetitle\}
171 \makepagestyle{front}
172
173 \makepagestyle{sched}
174 \makeatletter
175 \makepsmarks {sched}{
176 \nouppercaseheads}
177 \makeatother
178 \renewcommand{\bookpagemark}[1]{\itshape\thetitle\}
179 % \renewcommand{\partpagemark}[1]{\itshape\thetitle\}
180 \clearmark{chapter}
181 \clearmark{section}
182
183 \createmark{part}{both}{shownumber}{\partname\space}{.\space}
184
185
186 \RequirePackage[margin=3.25cm,headheight=100pt]{geometry}
187 \makeatletter
188 \makeevenfoot{front}{}{}{\printbillnum}
189 \makeoddfoot{front}{}{}{\printbillnum}
190 \makeatother
191
192 \renewcommand{\bookname}{\printbilltitle}
193 \makeheadrule{bill}{\textwidth}{1pt}
194
195 ↪ \makeevenhead{bill}{\Rightblock\normalsize\thepage\ifnum\value{part}>0\\\else\fi\ifnum\value{schedon}=1\\
196 ↪ 12pt\else\fi}{}{\footnotesize\itshape\bookname
197 \ifnum\value{schedon}=1
198 \\ \itshape Schedule
199 ↪ \arabic{subsection}\hspace{1ex}--\hspace{1ex}\currentsubsection \else\fi
200 \ifnum\value{part}>0
201 \\Part \arabic{part}\hspace{1ex}--\hspace{1ex}\rightmark
202 \else\fi\ifnum\value{subsubsection}>0\\Part
203 ↪ \arabic{subsubsection}\hspace{1ex}--\hspace{1ex}\currentsubsubsection\else\fi}
204 \makeoddhead{bill}{\Rightblock\footnotesize\itshape\bookname
205 \ifnum\value{schedon}=1
206 \\ \itshape Schedule
207 ↪ \arabic{subsection}\hspace{1ex}--\hspace{1ex}\currentsubsection \else\fi

```



```

203     \ifnum\value{part}>0
204     \\Part \arabic{part}\hspace{1ex}–\hspace{1ex}\rightmark
205     \else\fi\ifnum\value{subsubsection}>0\\Part
206     ↪ \arabic{subsubsection}\hspace{1ex}–\hspace{1ex}\currentsubsubsection\else\fi{}\{\normalsize\thepage\ifnum
207     ↪ 12pt\else\fi}
208     \makeoddfoot{bill}{}{}{}
209     %\renewcommand{\subsectionmark}[1]{#1}
210
211
212     %%%%%%%%%%%
213     %%%%%%%%%%%
214     % bill-first
215
216     %%%%%%%%%%%
217     %%%%%%%%%%%
218     \makeheadrule{billfirst}{\textwidth}{1pt}
219
220     ↪ \makeevenhead{billfirst}{\Firstblock\normalsize\thepage\ifnum\value{part}>0\\else\fi\ifnum\value{schedon}
221     ↪ 12pt\else\fi}{}\{\footnotesize\itshape\bookname
222     \ifnum\value{schedon}=1
223     \\ \itshape Schedule
224     ↪ \arabic{subsection}\hspace{1ex}–\hspace{1ex}\currentsubsection \else\fi
225     \ifnum\value{part}>0
226     \\Part \arabic{part}\hspace{1ex}–\hspace{1ex}\rightmark
227     \else\fi\ifnum\value{subsubsection}>0\\Part
228     ↪ \arabic{subsubsection}\hspace{1ex}–\hspace{1ex}\currentsubsubsection\else\fi}
229     \makeoddhead{billfirst}{\Firstblock\footnotesize\itshape\bookname
230     \ifnum\value{schedon}=1
231     \\ \itshape Schedule
232     ↪ \arabic{subsection}\hspace{1ex}–\hspace{1ex}\currentsubsection \else\fi
233     \ifnum\value{part}>0
234     \\Part \arabic{part}\hspace{1ex}–\hspace{1ex}\rightmark
235     \else\fi\ifnum\value{subsubsection}>0\\Part
236     ↪ \arabic{subsubsection}\hspace{1ex}–\hspace{1ex}\currentsubsubsection\else\fi}{}\{\normalsize\thepage\ifnum
237     ↪ 12pt\else\fi}
238     \makeoddfoot{billfirst}{}{}{}
239     %\renewcommand{\subsectionmark}[1]{#1}
240
241
242
243
244     \renewcommand{\chaptermark}[1]{#1}
245     \cftpagenumbersoff{part}
246     \cftpagenumbersoff{chapter}
247     \cftpagenumbersoff{subsection}
248     \cftpagenumbersoff{subsubsection}

```

```

241 \renewcommand{\cftsubsectionpresnum}{\flushleft Schedule\hspace{1ex}}% Prefix
    ↳ to number for \subsection in ToC
242
243 \renewcommand{\cftsubsubsectionpresnum}{Part\hspace{1ex}}% Prefix to number
    ↳ for \subsection in ToC
244
245 \renewcommand{\thesubsection}{\arabic{subsection}}
246 \renewcommand{\thesubsubsection}{\arabic{subsubsection}}
247 \renewcommand{\cftsubsectionaftersnum}{\hspace{1ex}–\hspace{1ex}}
248 \renewcommand{\cftsubsubsectionaftersnum}{\hspace{1ex}–\hspace{1ex}}
249
250 \settocdepth{subsubsection}
251 \cftpagenumbersoff{section}
252 \makeatletter
253 \let\stdl@chapter\l@chapter
254 \renewcommand*{\l@chapter}[2]{\stdl@chapter{\centerline{#1}}{#2}}
255 \makeatother
256 \cftsetindents{subsection}{1.75cm}{10em}
257 \cftsetindents{subsubsection}{1.75cm}{10em}
258
259 \renewcommand{\cftsubsectionpresnum}{Schedule\hfill}
260 \renewcommand{\cftsubsectionaftersnum}{\quad–\quad}
261 \renewcommand{\cftsubsubsectionpresnum}{\qqquad Part\hfill}
262 \renewcommand{\cftsubsubsectionaftersnum}{\quad–\quad}
263
264 %\setlength\cftsubsectionnumwidth{7.3em}
265 %\setlength\cftsubsubsectionnumwidth{4em}
266
267 \renewcommand{\title}{\printbilltitle}
268 \RequirePackage{changepage} % for the adjustwidth environment
269 \renewcommand{\part}[1]{\stepcounter{part}\markright{#1}
270 \begin{center}
271 \printpartname\hspace{1ex}\arabic{part}\\
272 \printparttitle{#1}\normalfont\normalsize\\end{center}
273 \addcontentsline{toc}{part}{\normalsize\bfseries\printpartname\hspace{1ex}%
274 \arabic{part}\normalfont\\
275 \centerline{\normalsize\normalfont\scshape\printparttitle{#1}}}
276 }
277 \renewcommand\contentsname{CONTENTS}%
278
279 \renewcommand{\chapter}[1]{\stepcounter{chapter}\markright{#1}
280 \begin{center}
281 \itshape\printchaptertitle{#1}\normalfont\normalsize\\%
282 \end{center}
283 \addcontentsline{toc}{chapter}{\normalsize\itshape
284 \centerline{\normalsize\normalfont\itshape\printchaptertitle{#1}}}
285 }

```

```

286
287 \renewcommand{\partnamefont}{\normalfont\centering\bfseries\scshape}
288 \renewcommand{\parttitlefont}{\normalfont\centering\scshape}
289 \makeatletter
290 \renewcommand{\partnumberline}[1]{\hfil\hspace\@tocrmarg #1~}
291 \makeatother
292
293 \renewcommand{\partnumfont}{\normalfont\bfseries\centering\normalsize\scshape}
294 \renewcommand{\partnamenum}{\normalfont\bfseries\centering\normalsize\scshape}
295 \RequirePackage{setspace}
296 \renewcommand{\chapterheadstart}{\vspace*{\beforechapskip}}
297 \renewcommand{\printchaptername}{\chapnamefont \@chapapp}
298 \renewcommand{\chapternamenum}{\space}
299 \renewcommand{\printchapternum}{\chapnumfont \thechapter}
300 \renewcommand{\afterchapternum}{\par\nobreak\vskip \midchapskip}
301 \renewcommand{\printchapternonum}{}
302 \renewcommand{\chapterheadstart}{}
303 \renewcommand{\printchaptername}{}
304 \renewcommand{\chapternamenum}{}
305 \renewcommand{\printchapternum}{}
306 \renewcommand{\afterchapternum}{}
307 \setlength{\parskip}{0pt}
308 \renewcommand{\printchaptertitle}[1]{\chaptitlefont #1}
309 \renewcommand{\afterchaptertitle}{\par\nobreak\vskip \afterchapskip}
310 \renewcommand{\printtoctitle}[1]{\large\scshape\centerline{\MakeUppercase{#1}}}
311 \renewcommand{\chapnamefont}{\normalfont\centering\itshape}
312 \renewcommand{\chapnumfont}{\normalfont\centering\itshape}
313 \renewcommand{\chaptitlefont}{\normalfont\centering\itshape}
314
315 \setlength{\beforechapskip}{12pt}
316 \setlength{\midchapskip}{0pt}
317 \setlength{\afterchapskip}{12pt}
318 \setbeforesecskip{-1em}
319 \setaftersecskip{-1em}
320 \setbeforesubsecskip{-1em}
321 \setaftersubsecskip{-1em}
322 \renewcommand*{\thesection}{\arabic{section}}
323 \setsecnumformat{\csname the#1\endcsname\hspace{5ex}}
324 %\setsubsecnumformat{\csname the#1\endcsname\hspace{5ex}}
325 %\setsubsecheadstyle{\bfseries}
326 %\setsubsecheadstyle{\scshape\centering}
327 %\setsubsectionnumformat{SCHEDULE\quad\csname the#1\endcsname\newline}
328 \RequirePackage[compact]{titlesec}
329 \titleformat{\subsection}[display]
330 {\normalfont\centering\scshape}{SCHEDULE \hspace{2ex }}{\thesubsection}{5pt}{}
331 \titleformat{\subsubsection}[display]
332 {\normalfont\centering\scshape}{Part \thesubsubsection}{5pt}{}

```

```

333
334 \setseheadstyle{\centering\bfseries}
335 \renewcommand{\part}[1]{\stepcounter{part}\markright{#1}
336 \begin{center}
337 \normalfont\normalsize\itshape\printchaptertitle{#1}\normalfont\normalsize\\end{center}
338 \addcontentsline{toc}{chapter}{
339 \centerline{\normalfont\itshape\printchaptertitle{#1}}}
340 }
341 \RequirePackage{fontspec}
342 \IfFontExistsTF{Palatine Parliamentary}{
343 \setmainfont[
344 Scale=.98,
345 SmallCapsFeatures={LetterSpace=10,RawFeature={+smcp}},
346 BoldFeatures = {SmallCapsFont= {PalatineP-Bold},SmallCapsFeatures={%
347 RawFeature={+smcp},%
348 }},
349 BoldFont={PalatineP-Bold},
350 ItalicFont={PalatineP-Italic},
351 BoldItalicFont={PalatineP-BoldItalic}}{PalatineP-Regular}
352 \newfontface{\extfont}[SmallCapsFont={Times New Roman}]{Times New
↵ Roman}}{\ClassWarning{Please install the Palatine Parliamentary Font}}
353
354 \RequirePackage[english]{babel}
355 %\RequirePackage{csquotes}
356 %\MakeOuterQuote{"}
357 %\DeclareQuoteStyle{english}%
358 %% {\extfont\textquotedblleft}
359 %% [\extfont\textquotedblleft]
360 %% {\extfont\textquotedblright}
361 %% [0.05em]
362 %% {\extfont\textquoteleft}
363 %% [{\extfont\textquoteleft}]
364 %% {\extfont\textquoteright}
365 \RequirePackage{enumitem}
366 \newenvironment{statquote}%
367 {
368 \begin{list}{}%
369 {%
370 \setlength{\topsep}{0ex}%
371 \setlength{\partopsep}{0ex}%
372 \setlength{\parsep}{0.5ex}%
373 \setlength{\itemsep}{i}%
374 \addtolength{\leftmargin}{3em}%
375 \addtolength{\rightmargin}{3em}%
376 }%
377 \item[]%
378 {\end{list}}

```

```

379 \newenvironment{nostat}{\begin{enumerate}[nosep,leftmargin=1.25cm,%
380 labelindent=5pt,itemindent=-15pt,label=]}\end{enumerate}}
381 \newenvironment{numstat}%
382 {%
383 %\vspace{-9ex}%
384 \begin{enumerate}[nosep,partopsep=0pt,
385 %parsep=0.5ex,
386 %itemsep=1ex,
387 labelsep=3ex,
388 leftmargin=4em,rightmargin=1.5em,label=(\arabic*)]%
389 \item[]}%
390 {\end{enumerate}}%
391 \vspace{1ex}\normalfont}%
392 \newenvironment{schumstat}%
393 {%
394 %\vspace{-9ex}%
395 \begin{enumerate}[nosep,partopsep=0pt,
396 %parsep=0.5ex,
397 itemsep=0ex,
398 labelsep=0ex,
399 leftmargin=0em,rightmargin=0em,label=]%
400 \item[]}%
401 {\end{enumerate}}%
402 \vspace{1ex}\normalfont}%
403
404 \newcounter{alphcount}
405
406 \newenvironment{instatquote}%
407 {%
408 \setcounter{alphcount}{0}
409 \vspace{-3ex}%
410 \begin{list}{}%
411 {%
412 \setlength{\topsep}{0ex}%
413 \setlength{\partopsep}{1ex}%
414 \setlength{\parsep}{0.5ex}%
415 \setlength{\itemsep}{0ex}%
416 }%
417 \item[]}%
418 {\end{list}}%
419 }%
420 \newenvironment{alphstat}%
421 {%
422 \vspace{-3ex}%
423 \begin{enumerate}[leftmargin=7.5ex,topsep=0ex,partopsep=1ex,parsep=0.5ex,%
424 itemsep=0ex,labelsep=3ex,label=(\alph*)]%
425

```

```

426 \item[]}%
427 {\end{enumerate}}%
428 }%
429 \newenvironment{romstat}%
430 {%
431 \vspace{-3ex}%
432 \begin{enumerate}[topsep=0ex,partopsep=1ex,parsep=0.5ex,itemsep=0ex,%
433 label=(\roman*)]%
434
435 \item[]}%
436 {\end{enumerate}}%
437 }%
438 \newenvironment{twoalphstat}%
439 {%
440 \vspace{-3ex}%
441 \begin{enumerate}[leftmargin=7.5ex,topsep=0ex,partopsep=1ex,parsep=0.5ex,%
442 itemsep=0ex,labelsep=3ex,label=(\alph*)(\alph*)]%
443
444 \item[]}%
445 {\end{enumerate}}%
446 }%
447
448 \newcommand*{\statquotelabel[1]}{}
449
450 \newcommand{\stat}[2]{
451 \item[(#1)]#2
452 }
453
454 \newcommand{\stathead}[2]{
455 \textbf{#1}\hspace{5ex}\textbf{#2}
456 }
457
458
459
460
461 \setlength{\parindent}{0pt}
462 \RequirePackage{lettrine}
463 \setcounter{DefaultLines}{2}
464 %\renewcommand{\DefaultLraise}{0.05}
465 %\renewcommand{\DefaultLoversize}{.07}
466 %\renewcommand{\LettrineFontHook}{\initials}
467 %\RequirePackage{initials}
468 %\RequirePackage{Romantik}%\romantik{
469 %\RequirePackage{Royal}%\royal
470
471 \newcommand{\intl}[2]{\lettrine{#1}{\hspace{1ex}\textsc{#2}}}
472 \renewcommand{\maketitle}{\thispagestyle{front}

```

```

473 \begin{center}
474 {\Huge\textbf{\title}}\\rule{\textwidth}{1pt}\\rule[16pt]{\textwidth}{2pt}
475 \end{center}
476 }
477 \newcommand{\schedule}[1]{\subsection{#1}}
478 \newcounter{schedon}
479 \setcounter{schedon}{0}
480
481 \newcommand{\currentsubsection}{}
482 \let\oldsubsection\subsection
483 \renewcommand{\subsection}[1]{\oldsubsection{#1}\renewcommand{%
484 \currentsubsection}{#1}}
485
486 \newcommand{\currentsubsubsection}{}
487 \let\oldsubsubsection\subsubsection
488 \renewcommand{\subsubsection}[1]{\oldsubsubsection{#1}\renewcommand{%
489 \currentsubsubsection}{#1}}
490 %%%%%%%%%%%
491 %%%%%%%%%%%
492 % enacting
493 %%%%%%%%%%%
494 %%%%%%%%%%%
495 \newcommand{\enactingformula}{
496 \intl{B}{e it enacted} by the King's most Excellent Majesty, by and with the
    ↪ advice and consent of the Lords Spiritual and Temporal, and Commons, in
    ↪ this present Parliament assembled, and by the authority of the same, as
    ↪ follows:---}
497
498 %%%%%%%%%%%
499 %%%%%%%%%%%
500 %enacting option
501 %%%%%%%%%%%
502 %%%%%%%%%%%
503 \DeclareOption{private}{
504 \makeatletter
505 \renewcommand{\enactingformula}{
506 \intl{W}{hereas}---
507
508 \hspace{2em}\begin{minipage}{.75\textwidth}
509
510 \printwhereas
511 \end{minipage}
512
513 \medskip
514
515 \intl{M}{ay} it therefore please Your Majesty that it may be enacted, and be
    ↪ it enacted, by

```

```

516 the King's Most Excellent Majesty, by and with the advice and consent of the
517 ↪ Lords
518 Spiritual and Temporal, and Commons, in this present Parliament assembled, and
519 ↪ by
520 the authority of the same, as follows:-
521 }
522
523 \makeatother
524 }
525
526 \ProcessOptions\relax
527
528
529 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
530 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
531 % begin doc
532 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
533 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
534 \AtBeginDocument{\emergencystretch 3em
535 \sloppy
536 \OnehalfSpacing
537 \pagestyle{front}
538 \pagenumbering{roman}
539 \maketitle
540 \medskip
541 \extfont
542 \begin{center}\scshape\MakeUppercase{\printexptitle}\end{center}
543
544 \printexptext
545 \medskip
546
547 \begin{center}\scshape EUROPEAN CONVENTION ON HUMAN RIGHTS\end{center}
548
549 \printhumanrights
550 \normalfont
551 \clearpage\maketitle
552 \begin{KeepFromToc}
553 \normalfont\normalsize
554 \tableofcontents
555 \end{KeepFromToc}
556
557 \vskip 3ex
558 \mainmatter
559 \pagenumbering{arabic}
560 \pagestyle{bill}\thispagestyle{billfirst}

```



```

561 \begin{center}
562     \scshape a
563     \medskip
564
565     \normalfont\Huge\bfseries B\hspace{.5ex}I\hspace{.5ex}L\hspace{.5ex}L
566
567     \medskip
568
569     \normalfont\normalsize\scshape to\normalfont
570
571 \end{center}
572
573     \medskip
574
575 \noindent\footnotesize\extfont\printbillto\normalsize \normalfont
576
577 \medskip
578
579 \enactingformula
580
581 \medskip
582
583
584
585 }
586
587
588 \AtEndDocument{\cleardoublepage
589
590
591     \setcounter{page}{0}
592     \pagenumbering{arabic}
593     \setcounter{page}{1}
594     \thispagestyle{front}
595
596     \begin{center}
597         {\Huge\textbf{\title}}\rule{\textwidth}{1pt}\rule[16pt]{\textwidth}{2pt}
598     \end{center}
599
600 \begin{center}
601     \normalfont\scshape a
602     \medskip
603
604     \normalfont\Huge\bfseries B\hspace{.5ex}I\hspace{.5ex}L\hspace{.5ex}L
605
606     \vskip 3ex
607     \end{center}

```

```

608
609 \normalsize To make provision in connection with the citizens of certain
    ↳ Commonwealth Realms
610
611     \vskip 3ex
612     \begin{center}
613
614 \normalsize\normalfont\itshape      Presented by \printdrafter
615
616 \vskip 3ex
617
618 \rule{.45\textwidth}{1pt}
619 \vspace{1ex}
620
621 \begin{minipage}{.4\textwidth}\centering
622 \itshape Ordered, by\normalfont\ \printdrafter\itshape\ to be Printed,
    ↳ \normalfont 19\itshape th March \normalfont 2020\itshape.
623 \end{minipage}
624
625 \vspace{1ex}
626
627 \rule{.45\textwidth}{1pt}
628
629 \vskip 5ex
630
631 \normalfont\footnotesize\printbillcopyright
632
633
634 \vskip 1ex
635
636 \normalfont\scshape\MakeUppercase{Published By \printpublishedby}
637 \end{center}
638 }

```