

Package ‘GTRT’

September 2, 2025

Type Package

Title Graph Theoretic Randomness Tests

Version 0.1.0

Date 2025-08-28

Description A collection of functions for testing randomness (or mutual independence) in linear and circular data as proposed in Gehlot and Laha (2025a) <[doi:10.48550/arXiv.2506.21157](https://doi.org/10.48550/arXiv.2506.21157)> and Gehlot and Laha (2025b) <[doi:10.48550/arXiv.2506.21158](https://doi.org/10.48550/arXiv.2506.21158)> respectively.

License GPL-3

Encoding UTF-8

RoxygenNote 7.3.2

Imports stats, circular

Suggests knitr, rmarkdown, timeSeriesDataSets

VignetteBuilder knitr

NeedsCompilation no

Author Shriya Gehlot [aut, cre],
 Arnab Kumar Laha [aut]

Maintainer Shriya Gehlot <phd20shriyag@iima.ac.in>

Repository CRAN

Date/Publication 2025-09-02 21:10:20 UTC

Contents

cdf.rcag	2
cdf.rig	2
deg.rcag	3
deg.rig	3
hellinger.dist	4
nip.rcag	4
nip.rig	5
rcagdd.test	6

rcagep.test	6
rigdd.test	7
rigepl.test	7
thrsd.rcagdd	8
thrsd.rigdd	8

Index	10
--------------	-----------

cdf.rcag*Theoretical CDF for RCAG for a given number of vertices.***Description**

Computes the theoretical CDF for an RCAG with for a given number of vertices.

Usage

```
cdf.rcag(m)
```

Arguments

m Number of observations.

Value

A vector representing the theoretical CDF of an RCAG with m/2 vertices.

Examples

```
cdf.rcag(1000)
```

cdf.rig*Theoretical CDF of RIG for a given number of vertices.*

Description

Computes the theoretical CDF for RIG with for a given number of vertices.

Usage

```
cdf.rig(m)
```

Arguments

m Number of observations.

Value

A vector representing the theoretical CDF of RIG with m/2 vertices.

Examples

```
cdf.rig(1000)
```

deg.rcag

*Degree Calculation for Random Circular Graph***Description**

Computes the degree of each vertex in a Random Circular Graph based on input arcs.

Usage

```
deg.rcag(theta)
```

Arguments

theta	A numeric vector of length m=2*nv.
-------	------------------------------------

Value

A vector of degrees for each vertex of RCAG obtained using theta.

Examples

```
x <- arima.sim(model = list(ar=0.9), 1000) ## AR(1) model
theta <- ((2*atan(x))%(2*pi))*(180/pi) ##LAR(1) model
deg.rcag(theta)
```

deg.rig

*Degree Calculation for Random Interval Graph***Description**

Computes the degree of each vertex in a Random Interval Graph based on the input intervals.

Usage

```
deg.rig(x)
```

Arguments

x	A numeric vector of length m=2*nv.
---	------------------------------------

Value

A vector of degrees for each vertex of RIG obtained using x.

Examples

```
x <- arima.sim(model = list(ar=0.7), 1000) ## AR(1) model
deg.rig(x)
```

hellinger.dist	<i>Hellinger Distance Between Distributions</i>
----------------	---

Description

Calculates the Hellinger distance between two probability distributions.

Usage

```
hellinger.dist(p, q)
```

Arguments

- p A probability vector.
- q Another probability vector of same length as p.

Value

Hellinger distance between p and q.

nip.rcag	<i>Proportion of Non-Intersecting Arc Pairs in an RCAG.</i>
----------	---

Description

Computes the proportion of non-intersecting pairs of arcs in the RCAG obtained using data.

Usage

```
nip.rcag(s, t, e1, e2)
```

Arguments

- s Start points of arcs.
- t End points of arcs.
- e1 Vector of indices for the first interval in each pair.
- e2 Vector of indices for the second interval in each pair.

Value

Mean proportion of non-intersecting pairs.

Examples

```
s <- circular::rcircularuniform(10)
t <- circular::rcircularuniform(10)
e1 <- c(2,10,6,1,5)
e2 <- c(4,3,8,7,9)
nip.rcag(s,t,e1,e2)
```

nip.rig*Proportion of Non-Intersecting Interval Pairs in an RIG*

Description

Computes the proportion of non-intersecting pairs of interval in the RIG obtained using data.

Usage

```
nip.rig(s, t, e1, e2)
```

Arguments

<code>s</code>	Start points of intervals.
<code>t</code>	End points of intervals.
<code>e1</code>	Vector of indices for the first interval in each pair.
<code>e2</code>	Vector of indices for the second interval in each pair.

Value

Mean proportion of non-intersecting pairs.

Examples

```
s <- runif(10,0,1)
t <- runif(10,0,1)
e1 <- c(2,10,6,1,5)
e2 <- c(4,3,8,7,9)
nip.rig(s,t,e1,e2)
```

rcagdd.test*RCAG-DD Test***Description**

Performs the RCAG-DD RIG-DD test of randomness for circular data.

Usage

```
rcagdd.test(theta)
```

Arguments

theta	A numeric vector representing endpoints of arcs.
--------------	--

Value

Vector of test statistics of RCAG-DD Test.

Examples

```
x <- arima.sim(model = list(ar=c(0.6,0.3)), 1000) ## AR(2) model
theta <- ((2*atan(x))%(2*pi))*(180/pi) ##LAR(2) model
rcagdd.test(theta)
```

rcagep.test*RCAG-EP Test***Description**

Performs the RCAG-EP test of randomness for circular data.

Usage

```
rcagep.test(theta, alpha)
```

Arguments

theta	A numeric vector.
alpha	The level of significance

Value

Probability of non-intersection of edges, cutoff for RCAG-EP test and adjusted p-values for the RCAG-EP test.

Examples

```
x <- arima.sim(model = list(ar=0.9), 1000) ## AR(1) model
theta <- ((2*atan(x))%(2*pi))*(180/pi) ##LAR(1) model
rcagep.test(theta,0.05)
```

rigdd.test

*RIG-DD Test***Description**

Performs the RIG-DD test of randomness.

Usage

```
rigdd.test(x)
```

Arguments

x	A numeric vector corresponding to interval of an RIG.
---	---

Value

Vector of test statistics of RIG-DD Test.

Examples

```
x <- arima.sim(model = list(ar=c(0.7,0.2)), 1000) ## AR(2) model
rigdd.test(x)
```

rigep.test

*RIG-EP Test***Description**

Performs the RIG-EP test of randomness.

Usage

```
rigep.test(x, alpha)
```

Arguments

x	A numeric vector
alpha	The level of significance

Value

Probability of non-intersection of edges, cutoff for RIG-EP test and adjusted p-values for the RIG-EP test.

Examples

```
x <- arima.sim(model = list(ar=0.9), 1000) ## AR(1) model
rigep.test(x,0.05)
```

thrsd.rcagdd*Threshold for RCAG-DD Test of randomness for circular data***Description**

Calculates a threshold for RCAG-DD test using simulated data.

Usage

```
thrsd.rcagdd(m, n_iter, alpha)
```

Arguments

- | | |
|---------------|-------------------------|
| m | Number of observations. |
| n_iter | Number of simulations. |
| alpha | Level of significance. |

Value

Threshold value for RCAG-DD test. `thrsd.rcagdd(500,1000,0.05)`

thrsd.rigdd*Threshold for RIG-DD Test of randomness***Description**

Calculates a threshold for RIG-DD test using simulated data.

Usage

```
thrsd.rigdd(m, n_iter, alpha)
```

Arguments

- | | |
|---------------|----------------------------------|
| m | Number of observations. |
| n_iter | Number of simulation iterations. |
| alpha | Level of significance. |

Value

Threshold value for RIG-DD test.

Examples

```
thrsd.rigdd(250,1000,0.05)
```

Index

cdf.rcag, 2
cdf.rig, 2

deg.rcag, 3
deg.rig, 3

hellinger.dist, 4

nip.rcag, 4
nip.rig, 5

rcagdd.test, 6
rcagep.test, 6
rigdd.test, 7
rigep.test, 7

thrsd.rcagdd, 8
thrsd.rigdd, 8