

Package ‘myman’

October 8, 2026

Type Package

Title Draw from Sequence of 'My Man' Posts by Kevin Kruse

Version 0.10.0

Date 2026-10-08

Description Starting on the afternoon of July 17, 2026, Kevin Kruse fired off an astonishing array of 'BlueSky' replies to an initial post of his featuring a certain government figure: <https://bsky.app/profile/did:plc:cnpe7qvcyjrhm6w7w7e4atur/post/3mqum4mxsuk2g>. This lasted a week and generated nearly seven hundred posts. A second wave started on August 12, 2026, with this post: <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mstvbjpgc2a>. A third wave started on August 17, 2026, with <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mtcpw7gi22j>. A fourth wave started on August 27, 2026, with <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mu3pugs2yk2f>. A fifth wave ran on August 30, 2026, beginning with <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mudbzy5ksk25>. A sixth wave started September 4, 2026, with <https://bsky.app/profile/kevinmkruise.bsky.social/post/3muparqtdkk2w>. A seventh wave started September 12, 2026, with <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mvdol6xu5k2s>. An eighth wave started September 16, 2026, with <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mvnmq23nw22y>. A ninth wave started October 1, 2026 with <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mwtx2jztkk2g>. A tenth wave started October 4, 2026, with <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mx333hlmdc2o>. All of the over seventeen hundred posts from these series start with 'My man ...' and make for excellent input to a 'fortunes'-like package. So this small package obliges and offers a random draw each time its myman() function is called. The overall package structure follows package 'fortunes', and 'attrrr' was used to (bulk-)retrieve posts. Neither package is required to run this package to display random selections.

URL <https://github.com/eddelbuettel/myman>

BugReports <https://github.com/eddelbuettel/myman/issues>
License GPL (>= 2)
Encoding UTF-8
Depends R (>= 4.1.0)
NeedsCompilation no
Author Dirk Eddelbuettel [aut, cre] (ORCID:
 <https://orcid.org/0000-0001-6419-907X>)
Maintainer Dirk Eddelbuettel <edd@debian.org>
Repository CRAN
Date/Publication 2026-10-08 12:50:02 UTC

Contents

myman	2
Index	4

myman	<i>Display a Random 'my man' Skeet by Kevin Kruse</i>
-------	---

Description

This function displays a randomly chosen line from the included data set of one thousand nine hundred and eighty four 'my man' skeets by Kevin Kruse posted on Bluesky starting in July 2026 in replies to the initial post <https://bsky.app/profile/did:plc:cnpe7qvcyjrhm6w7w7e4atur/post/3mqum4mxsuk2g>, in August 2026 starting with <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mstvbjpgc2a> as well as further series starting with, respectively, <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mtcpw7gi22j>, <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mu3pugs2yk2f>, <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mudbzy5ksk25>, <https://bsky.app/profile/kevinmkruise.bsky.social/post/3muparqtdkk2w>, <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mvdol6xu5k2s>, <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mvnmq23nw22y> and <https://bsky.app/profile/kevinmkruise.bsky.social/post/3mwtx2jztkk2g>.

posts is a convenience function that returns the underlying data as a data.frame

Usage

```
myman(ind, target, posts = 1)

## S3 method for class 'myman'
print(x, width = NULL, ...)

posts()

men()
```

Arguments

ind	Optional index of a quote, or character expression to be matched; if missing a random index value is sampled
target	Optional character value to describe target of posts, can be a part of the name as regular expression matching is used
posts	Optional count for number of posts to sample, defaults to one
x	Default object for print method
width	Optional column width parameter
...	Other optional arguments

Value

A character vector containing one randomly selected line from the included file. It is of class myman for which an S3 print method will be invoked.

Examples

```
set.seed(123)
myman(target="Miller")  # random draw against first target
myman("maitre")        # all posts mentioning a "maitre'd"
```

Index

`men (myman)`, [2](#)

`myman`, [2](#)

`posts (myman)`, [2](#)

`print.myman (myman)`, [2](#)