

Package ‘sceua’

June 26, 2026

Title Shuffled Complex Evolution Algorithm for Optimization

Version 0.1.0

Description Provides an 'R' interface to a 'Rust' implementation of the Shuffled Complex Evolution - University of Arizona (SCE-UA) global optimization algorithm (Duan et al., 1992). SCE-UA combines simplex search, competitive evolution, and complex shuffling to solve nonlinear, non-convex, continuous parameter estimation problems. The method is commonly used for calibrating hydrological and environmental models and follows the algorithm proposed by Duan et al. (1992) <[doi:10.1029/91WR02985](https://doi.org/10.1029/91WR02985)>.

License MIT + file LICENSE

URL <https://github.com/atsyplenkov/sceua/>,
<https://atsyplenkov.github.io/sceua/>

BugReports <https://github.com/atsyplenkov/sceua/issues/>

Encoding UTF-8

Language en

Config/rextendr/version 0.3.1.9001

Config/build/bootstrap TRUE

Config/Needs/website altdoc, quarto, bench, rtop, SoilHyP, knitr,
rmarkdown, rextendr, tomleedit

SystemRequirements Cargo (Rust's package manager), rustc (>= 1.91.1)

Imports checkmate

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

Config/roxygen2/version 8.0.0

NeedsCompilation yes

Author Anatoly Tsyplenkov [aut, cre, cph] (ORCID:
<<https://orcid.org/0000-0003-4144-8402>>)

Maintainer Anatoly Tsyplenkov <atsyplenkov@fastmail.com>

Repository CRAN

Date/Publication 2026-06-26 09:20:08 UTC

Contents

sceua 2

Index 4

sceua *Minimize a function with SCE-UA*

Description

Find the parameter set that minimizes an objective function using the Shuffled Complex Evolution - University of Arizona (SCE-UA) algorithm (Duan et al., 1992).

Usage

```
sceua(
  fn,
  lower,
  upper,
  initial = NULL,
  max_evaluations = 10000L,
  kstop = 5L,
  pcento = 0.01,
  complexes = 2L,
  points_per_complex = NULL,
  simplex_size = NULL,
  evolution_steps = NULL,
  min_complexes = NULL,
  parameter_epsilon = 0.001,
  ...
)
```

Arguments

| | |
|-----------------|--|
| fn | Function to minimize. Must accept a single numeric vector of parameters and return a scalar numeric value. |
| lower | Numeric vector of lower bounds. Must have the same length as upper. |
| upper | Numeric vector of upper bounds. Must have the same length as lower. |
| initial | Optional initial parameter vector. If provided, it is included in the initial population. |
| max_evaluations | Maximum number of function evaluations. |
| kstop | Number of shuffling loops over which the objective value must change by pcento before convergence. |
| pcento | Objective convergence threshold. |

| | |
|---------------------------------|--|
| <code>complexes</code> | Number of complexes in the initial population. |
| <code>points_per_complex</code> | Number of points in each complex. Defaults to $2 * n + 1$ where n is the number of parameters. |
| <code>simplex_size</code> | Number of points in each sub-complex. Defaults to $n + 1$. |
| <code>evolution_steps</code> | Number of evolution steps allowed for each complex before shuffling. Defaults to <code>points_per_complex</code> . |
| <code>min_complexes</code> | Minimum number of complexes required. Defaults to <code>complexes</code> . |
| <code>parameter_epsilon</code> | Parameter convergence threshold. |
| <code>...</code> | Additional arguments passed to <code>fn</code> . |

Details

The R wrapper draws the internal SCE-UA seed from R's global random number generator. Call `set.seed()` before `sceua()` for reproducible results.

Value

An object of class `sceua`: a list with components:

- `par`: best parameter vector.
- `value`: objective value at `par`.
- `counts`: number of function evaluations.
- `iterations`: number of shuffling loops.
- `termination`: reason for termination.
- `history`: a data.frame with one row per shuffling loop.

References

Duan, Q., Sorooshian, S., and Gupta, V.K., 1992. Effective and efficient global optimization for conceptual rainfall-runoff models. *Water Resour. Res.* 28 (4), 1015-1031.

Examples

```
set.seed(1234)
# Two-dimensional sphere
result <- sceua(
  fn = function(x) sum(x^2),
  lower = c(-5, -5),
  upper = c(5, 5),
  max_evaluations = 5000,
  kstop = 5,
  pcento = 1e-8,
  complexes = 5
)
result
```

Index

sceua, [2](#)