An Example Markdown Document

Vít Novotný

October 30, 2022

Chapter 1

This is an H1

1.1 This is an H2

1.1.1 This is an H3

This is an H4

This is an H5

This is an H6

This is a text paragraph containing an ellipsis \ldots and followed by a thematic break.

This is inline code. This is a link¹. This is an emphasized span of text. This is a strongly emphasized span of text.

This is a fenced code block:

```
\documentclass{article}
\begin{document}
  Hello world!
\end{document}
```

This is a table:

¹Google: http://google.cz

Name	Surname	Born
Albert	Einstein	1879
Marie	Curie	1867
Thomas	Edison	1847

Table 1.1: The great minds of the 19th century rendered via a content block




Figure 1.1: An example image from Martin Scharrer's mwe package

Right	Left	Default	Center
12	12	12	12
123	123	123	123
1	1	1	1

Table 1.2: Demonstration of pipe table syntax.

1.1. THIS IS AN H2

This is a bullet list:

• The first item of a bullet list that spans several paragraphs,

- the second item of a bullet list,
- the third item of a bullet list.

This is a compact bullet list:

- The first item of a bullet list,
- the second item of a bullet list,
- the third item of a bullet list. This is an ordered list:
- 5. The first item of an ordered list that spans several paragraphs,
- 6. the second item of an ordered list,
- 7. the third item of an ordered list.

This is a fancy ordered list:

- e) The first item of an ordered list that spans several paragraphs,
- f) the second item of an ordered list,
- g) the third item of an ordered list.

This is an ordered list using hash enumerators:

- 1. The first item of an ordered list that spans several paragraphs,
- 1. the second item of an ordered list,
- 2. the third item of an ordered list.

This is a compact ordered list:

- 5. The first item of an ordered list,
- 6. the second item of an ordered list,
- 7. the third item of an ordered list. This is a compact ordered list using hash enumerators:
- 1. The first item of an ordered list,
- 2. the second item of an ordered list,
- 3. the third item of an ordered list. This is a compact fancy ordered list using hash enumerators:
- 1. The first item of an ordered list,
- 2. the second item of an ordered list,
- 3. the third item of an ordered list. This is a task list:

- \Box Some unfinished task
- \boxdot Some half-finished task
- \boxtimes Some finished task
- An item of an unordered list
 - 1. \Box Some unfinished subtask
 - 2. \boxdot Some half-finished subtask
 - 3. \boxtimes Some finished subtask
 - 4. An item of an ordered list
- This is a definition list:

Term 1 Definition 1 with some removed text

Term 2 Definition 2

Some code, part of Definition 2

Third paragraph of Definition 2.

Definition 3

This is a compact definition list: **Term 1** Definition 1 **Term 2** Definition 2 Definition 3 This is a ^{superscript} and a _{subscript}. This is a block quote:

This is the first level of quoting.

This is nested blockquote.

Back to the first level.

Here is a note reference 2 and another. 3 Here is an inline note. 4 This is raw TeX code:

 $x^n + y^n = z^n$

6

 $^{^2\}mathrm{Here}$ is the note.

³Here's one with multiple blocks.

Subsequent paragraphs are indented to show that they belong to the previous note.

Some code

The whole paragraph can be indented, or just the first line. In this way, multi-paragraph notes work like multi-paragraph list items.

 $^{^4 \}mathrm{Inlines}$ notes are easier to write, since you don't have to pick an identifier and move down to type the note.

Chapter 2

This is an H1

2.1 This is an H2

2.1.1 This is an H3

This is an H4

This is an H5

This is an H6

This is a text paragraph containing an ellipsis \ldots and followed by a thematic break.

This is inline code. This is a link¹. This is an emphasized span of text. This is a strongly emphasized span of text.

This is a fenced code block:

```
\documentclass{article}
\begin{document}
  Hello world!
\end{document}
```

This is a table:

¹Google: http://google.cz

Name	Surname	Born
Albert	Einstein	1879
Marie	Curie	1867
Thomas	Edison	1847

Table 2.1: The great minds of the 19th century rendered via a content block




Figure 2.1: An example image from Martin Scharrer's mwe package

Right	Left	Default	Center
12	12	12	12
123	123	123	123
1	1	1	1

Table 2.2: Demonstration of pipe table syntax.

2.1. THIS IS AN H2

This is a bullet list:

• The first item of a bullet list that spans several paragraphs,

- the second item of a bullet list,
- the third item of a bullet list.

This is a compact bullet list:

- The first item of a bullet list,
- the second item of a bullet list,
- the third item of a bullet list. This is an ordered list:
- 5. The first item of an ordered list that spans several paragraphs,
- 6. the second item of an ordered list,
- 7. the third item of an ordered list.

This is a fancy ordered list:

- e) The first item of an ordered list that spans several paragraphs,
- f) the second item of an ordered list,
- g) the third item of an ordered list.

This is an ordered list using hash enumerators:

- 1. The first item of an ordered list that spans several paragraphs,
- 1. the second item of an ordered list,
- 2. the third item of an ordered list.

This is a compact ordered list:

- 5. The first item of an ordered list,
- 6. the second item of an ordered list,
- 7. the third item of an ordered list. This is a compact ordered list using hash enumerators:
- 1. The first item of an ordered list,
- 2. the second item of an ordered list,
- 3. the third item of an ordered list. This is a compact fancy ordered list using hash enumerators:
- 1. The first item of an ordered list,
- 2. the second item of an ordered list,
- 3. the third item of an ordered list. This is a task list:

- \Box Some unfinished task
- \boxdot Some half-finished task
- \boxtimes Some finished task
- An item of an unordered list
 - 1. \Box Some unfinished subtask
 - 2. \boxdot Some half-finished subtask
 - 3. \boxtimes Some finished subtask
 - 4. An item of an ordered list
- This is a definition list:

Term 1 Definition 1 with some removed text

Term 2 Definition 2

Some code, part of Definition 2

Third paragraph of Definition 2.

Definition 3

This is a compact definition list: **Term 1** Definition 1 **Term 2** Definition 2 Definition 3 This is a ^{superscript} and a _{subscript}. This is a block quote:

This is the first level of quoting.

This is nested blockquote.

Back to the first level.

Here is a note reference² and another.³ Here is an inline note.⁴ This is raw T_EX code:

 $x^n + y^n = z^n$

Here are some non-ASCII characters: ěščřžýáíé.

Here is some HTML code mixed with Markdown. In T_EX , the HTML code will be silently ignored, whereas in T_EX4ht , the HTML code will be passed through to the output:

Subsequent paragraphs are indented to show that they belong to the previous note.

10

 $^{^{2}}$ Here is the note.

 $^{^{3}\}mathrm{Here's}$ one with multiple blocks.

 $^{{\}tt Some \ code}$

The whole paragraph can be indented, or just the first line. In this way, multi-paragraph notes work like multi-paragraph list items.

 $^{^4 \}mathrm{Inlines}$ notes are easier to write, since you don't have to pick an identifier and move down to type the note.