

The latex-lab-mathpkg code*

L^AT_EX Project

March 27, 2024

Abstract

Contents

1	Introduction	1
2	The Implementation	1
2.1	File declaration	1
2.2	breqn	1
2.3	cases	2
2.4	bm	2
2.5	Wrapper files for testphase key	2
	Index	2

1 Introduction

This file implements adaptations to various math packages needed for the tagging project.

2 The Implementation

1 `<@=math>`

2 `<*kernel>`

2.1 File declaration

```
3 \ProvidesFile{latex-lab-mathpkg.ltx}
4 [2023-01-05 v0.1a mathpkg adaptations]
```

2.2 breqn

```
5 \AddToHook{package/breqn/after}{
6   \RegisterMathEnvironment{dmath}
7   \RegisterMathEnvironment{dgroup*}
```

*

```

8   \AddToHook{env/dmath/begin}{\tagpdfparaOff}
9   \AddToHook{env/dgroup*/begin}{\tagpdfparaOff}
10  }

```

2.3 cases

Force loading of amsmath before cases.

```

11  \AddToHook {package/cases/before}{\RequirePackage{amsmath}}
12  \AddToHook{package/cases/after}{
13    \RegisterMathEnvironment{subnumcases}
14  }

```

2.4 bm

Similar to the amsbsy code in latex-lab-amsmath for `\pmb` we need to mark up copies as artifact:

```

15  \ExplSyntaxOn
16  \AddToHook{package/bm/after}
17  {
18    \def\bm@pmb@@#1#2#3{%
19      \hbox_set:Nn\l__math_tmpa_box{${m@th#1#3$}%
20      \dimen@#2\wd\tw@
21      \rlap{\box_use:N\l__math_tmpa_box}%
22      \tag_mc_end:\tag_mc_begin:n{artifact}
23      \tag_mc_reset_box:N\l__math_tmpa_box
24      \kern\dimen@
25      \raise1.5\dimen@\rlap{\box_use:N\l__math_tmpa_box}%
26      \kern\dimen@
27      \box_use_drop:N\l__math_tmpa_box
28      \tag_mc_end:\tag_mc_begin:n{}}%
29    }
30  }
31  \ExplSyntaxOff
32  </kernel>

```

2.5 Wrapper files for testphase key

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A		P	
<code>\AddToHook</code>	5, 8, 9, 11, 12, 16	<code>\pmb</code>	<u>2</u>
		<code>\ProvidesFile</code>	3
B		R	
box commands:		<code>\raise</code>	25
<code>\box_use:N</code>	21, 25	<code>\RegisterMathEnvironment</code>	6, 7, 13
<code>\box_use_drop:N</code>	27	<code>\RequirePackage</code>	11
box internal commands:		<code>\rlap</code>	21, 25
<code>\l_math_tmpa_box</code> ..	19, 21, 23, 25, 27		
D		T	
<code>\def</code>	18	tag commands:	
		<code>\tag_mc_begin:n</code>	22, 28
E		<code>\tag_mc_end:</code>	22, 28
<code>\ExplSyntaxOff</code>	31	<code>\tag_mc_reset_box:N</code>	23
<code>\ExplSyntaxOn</code>	15	<code>\tagpdfparaOff</code>	8, 9
H		TeX and L ^A T _E X 2 _ε commands:	
hbox commands:		<code>\bm@pmb@</code>	18
<code>\hbox_set:Nn</code>	19	<code>\dimen@</code>	20, 24, 25, 26
		<code>\m@th</code>	19
K		<code>\tw@</code>	20
<code>\kern</code>	24, 26	W	
		<code>\wd</code>	20