

## Contents

<b>1</b>	<b>NAME</b>	<b>1</b>
<b>2</b>	<b>SYNOPSIS</b>	<b>1</b>
<b>3</b>	<b>DESCRIPTION</b>	<b>1</b>
<b>4</b>	<b>OPTIONS</b>	<b>1</b>
<b>5</b>	<b>AUTHOR</b>	<b>2</b>
<b>6</b>	<b>LICENSE</b>	<b>2</b>

## 1 NAME

bookshelf-listallfonts - list all fonts known to LuaTeX with "interesting" features

## 2 SYNOPSIS

```
bookshelf-listallfonts [-d] [-f FEATURES_FILE] [-x EXCLUDED_PATTERNS_FILE]
    bookshelf-listallfonts -h
    bookshelf-listallfonts -v
    bookshelf-listallfonts -m
```

## 3 DESCRIPTION

List all fonts known to LuaTeX adding "interesting" features to the listing.

The script queries luaotfload databases and outputs the list of fonts and features as a tab-separated stream with two field: font name+feature name, and LuaTeX loading command. This form is suitable for *mkfontsel.pl*(1) command from the *bookshelf* package.

We always include default features, `+clig;+liga;+tlig`.

It is recommended to issue

```
luaotfload-tool --update --force
```

before running the script.

## 4 OPTIONS

**-d**

Print debug information on the standard output.

**-f *FEATURES\_FILE***

Use patterns in the *FEATURES* file instead of the default ones.

**-x *EXCLUDED\_PATTERNS\_FILE***

Exclude patterns (font paths and features or combinations) listed in *EXCLUDED\_PATTERNS\_FILE*.

**-v**

Print version information

**-h**

Print usage information

**-m**

Print manual page

## **5 AUTHOR**

Boris Veytsman, 2024

## **6 LICENSE**

LPPL 1.3c