

# The bookshelf document class\*

Turn your bibliography into a bookshelf image

Peter Flynn

Silmaril Consultants

Instant Textual Gratification Division

([peter@silmaril.ie](mailto:peter@silmaril.ie))


Boris Veytsman

([borisv@lk.net](mailto:borisv@lk.net))

8th October 2024

## Summary

The bookshelf package uses your BIB<sub>T</sub>E<sub>X</sub> bibliography file into a randomly-coloured, randomly-sized shelf of books, with the title and author in a randomly-chosen typeface. The image (converted to JPEG from PDF) can then be used as a background in *Zoom*, *Teams*, *WhatsApp* etc video calls. It requires a little preliminary work with the supplied scripts to set up a list of your fonts and their stylistic variants, but otherwise should work on any modern T<sub>E</sub>X distribution.



---

\*This document corresponds to bookshelf v1.1, dated 2024/10/05.

# Contents

|   |           |
|---|-----------|
| <b>Foreword by BV</b>                                     | <b>4</b>  |
| <b>Latest changes</b>                                     | <b>5</b>  |
| <b>1 Documentation</b>                                    | <b>6</b>  |
| 1.1 What the package does . . . . .                       | 6         |
| 1.2 Preparation . . . . .                                 | 7         |
| 1.2.1 Your BIB <sub>T</sub> E <sub>X</sub> file . . . . . | 7         |
| 1.2.2 Font file list . . . . .                            | 7         |
| 1.2.3 Maximum number of fonts . . . . .                   | 7         |
| 1.2.4 List of colors . . . . .                            | 8         |
| 1.3 Producing your bookshelf . . . . .                    | 8         |
| 1.3.1 Producing the list of fonts . . . . .               | 8         |
| 1.3.2 Driver file . . . . .                               | 9         |
| 1.3.3 Options . . . . .                                   | 9         |
| 1.4 Bugs . . . . .  | 9         |
| <b>2 Implementation</b>                                   | <b>10</b> |
| 2.1 Auto-initialisation . . . . .                         | 10        |
| 2.2 Options . . . . .                                     | 10        |
| 2.3 Load the document base class . . . . .                | 12        |
| 2.4 Packages required for the class or package . . . . .  | 12        |
| 2.5 Non-package resources . . . . .                       | 13        |
| 2.6 The code . . . . .                                    | 13        |
| 2.6.1 Font selection . . . . .                            | 14        |
| 2.6.2 Color selection . . . . .                           | 14        |
| 2.6.3 Page border setup . . . . .                         | 16        |
| 2.6.4 Size and shape . . . . .                            | 16        |
| 2.6.5 Title and author dimensions . . . . .               | 17        |
| 2.6.6 Handling the math . . . . .                         | 17        |
| 2.6.7 Settings . . . . .                                  | 17        |
| 2.6.8 Auxillary macro: fitting text in a box . . . . .    | 17        |
| 2.6.9 Selecting the font for the book . . . . .           | 20        |
| 2.6.10 Making the book . . . . .                          | 21        |

## Note on required and optional features

In this document, the keywords MUST, MUST NOT, REQUIRED, SHALL, SHALL NOT, SHOULD, SHOULD NOT, RECOMMENDED, MAY, and OPTIONAL have a specific meaning when shown in THIS TYPESTYLE, and MUST be interpreted as described in RFC 2119 [1].

When shown in normal type, these words keep their conventional contextual degree of meaning.

## Foreword by BV

I have spent many hours admiring colorful bookcases produced by Peter Flynn's *bookshelf* package. They helped me to survive many boring remote meetings during the COVID pandemic and its aftermath. However, since my library had books in different languages, I wanted to showcase them as well. I started to write patches for the package, and at some point Peter kindly decided to transfer the maintenance to me.

I described the project at TUG 2024 [3]. At present the following changes has been implemented:

1. The package now can typeset book spines in any language. It automatically selects a random font capable to typeset a given spine.
2. The new `bookshelf-listallfonts` script lists all system and  $\text{\TeX}$  fonts with “interesting” variants, while the new `bookshelf-mkfontsel` script populates the `fontsel` directory.
3. The package now understands fonts in OTF, TTF
4. The switch from Biber to Bib $\text{\TeX}$  made the processing much faster, and eliminated the need for the separate `entries.tex` file: now the `.bbl` file has the right format.
5. The switch from *fotnspc* to primitive font loading also made the processing faster—and increased the number of fonts we can display.

There is, however, a price for these improvements: now the package is Lua $\text{\TeX}$ -only.

*Boris Veytsman, October 2024*

## Latest changes

### v.1.0(2025/10/02)

New maintainer. Several rewrites.

### v.0.5 (2020-05-24)

#### Finished initial testing

- Replaced hyperref with hypdoc to avoid *makeindex* bug

### v.0.1 (2020-05-7)

#### First packaged draft

- Done manually from .tex file

### v.0.4 (2020-05-19)

#### Completed documentation

- Updated note on bug in *biber* when processing sgml.bib
- Removed sgml.bib as example until problems are resolved
- Backtracked on attempt to use the monographic title for articles, chapters, etc
- Revised notes on production

### v.0.3 (2020-05-14)

#### Finished first pass on documentation

- Done preliminary testing
- Script adapted for Mac OS X

## Acknowledgments

Thanks to many people for the original suggestion; and to Isabel Yorke, Bethan Tovey-Walsh, Nelson Beebe, The L<sup>A</sup>T<sub>E</sub>X Ninja, Stephan Lukasczyk, and others for their thesis bibliographies and testing comments.

# 1 Documentation

During the era of the COVID-19 lockdown, the popularity of group video messaging grew rapidly, both for business and domestic use. As people sought for what they believed to be more representative backgrounds than a messy kitchen, an untidy workroom, or a sterile blank wall, a well-populated bookshelf was a frequent choice.

This package is for those who cannot use (or don't have, or don't want to use) such a bookshelf, but can still lay their hands on a bibliography or reference list in BIB<sub>T</sub>E<sub>X</sub> format — perhaps from a recent or long-forgotten thesis, book, article, or other document.

You also may want to showcase your electronic library. Many programs like *Calibre* [2] can export the list of your electronic books in Bib<sub>T</sub>E<sub>X</sub> format. This is how the sample library spines.pdf was created.

Another important use of this package is to provide a diversion during long boring remote meetings. Try to guess the font the given spine was typeset with—and use these tiny numbers under the books to check your knowledge!

## Lua<sub>L</sub>T<sub>E</sub>X

To avoid problems with accented characters, and to make it easier to maintain, this document class uses only Lua<sub>L</sub>T<sub>E</sub>X.

It will not work with the *pdflatex* or X<sub>T</sub>E<sub>X</sub>.

This is a work-in-progress: there are bugs (see [section 1.4 on page 9](#)).

## 1.1 What the package does

The bookshelf package generates what looks like shelves of book spines from your list of references, using random dimensions (within specified limits) in random but contrasting colors, with a randomly-selected typeface.

It does this by creating a box (rectangle) for each entry in your list, assigning colors to the background and foreground, deciding on the layout and font, and then stacking the boxes side-by-side as if they were letters on a line.

## 1.2 Preparation

To get things ready for this, you need to install this document class, and provide the following data:

1. The list of book as a BIB<sub>TEX</sub> file.
2. A list of all your usable text fonts and the total number of them.
3. A list of all the colors to choose from.

These are explained in more detail in the subsections below.

### 1.2.1 Your BIB<sub>TEX</sub> file

Your BIB<sub>TEX</sub> (.bib) file, suitable for use with *biber* rather than *bibtex*.

You may need to replace all the old-style symbolic notation accented characters like {\”a} for ‘ä’ and {\l} for ‘ѣ’.

If you have a bibliography in *EndNote*, *Mendeley*, *Zotero*, *ProCite*, *Reference Manager*, etc, you should be able to export it in either BIB<sub>TEX</sub> or RIS format. A RIS file can easily be converted to BIB<sub>TEX</sub> by opening it in *JabRef* and saving it as BIB<sub>TEX</sub>.

### 1.2.2 Font file list

A set of 2-line files in a subdirectory called fontsel representing of all the usable text fonts on your system.

Each file MUST be numbered sequentially in its name (eg 1.tex, 2.tex, 3.tex, etc) and MUST contain a \font command and define the name of the font, for example

```
\font\SILmfont={[/usr/local/texlive/2024/texmf-dist/fonts/opentype/public/junicode/Junicode-
SmCondMediumItalic.otf]:+clig;+liga;+tlig;+swsh}\SILmfont
\def\SILmfontname{Junicode SmCond Medium Italic; Swash}%
```

This list can be created using the scripts bookshelf-listallfonts and bookshelf-mkfontsel, see [section 1.3.1 on the following page](#).

### 1.2.3 Maximum number of fonts

A file called pickfont.tex containing a \setcounter{SIL@maxfont}{...} command to set the total number of the fonts which are represented in the fontsel subdirectory above

This file can be created using the scripts bookshelf-listallfonts and bookshelf-mkfontsel, see [section 1.3.1 on the next page](#).

### 1.2.4 List of colors

A list of all the colors represented by the SVG palette used by the `xcolor` package: the file is called `svgnam.tex`. This contains three definitions:

1. the command `\SIL@svgcolname` which uses an `\ifcase` command to return the name of the *n*th color in alphabetical order;
2. the command `\SIL@svgcolval` which does the same to return the brightness value of that color, computed by the formula on page 15 (see script for details);
3. the counter `SIL@maxcolno` which holds the number of colors available.

This file is included in the distribution.

In the previous versions of the ditribution it was created with the from `svgnam.def` database. The script `svgnam.sh` is retained in the distribution and can be used to recreate the file.

## 1.3 Producing your bookshelf

### 1.3.1 Producing the list of fonts

Each system has its own fonts installed, so you need to create the list of fonts installed on *your* system. It is done in three steps.

1. Update the database of fonts known to Lua<sup>T</sup>E<sub>X</sub>:

```
luaotfload-tool --update --force
```

The key `--force` forces the update even if Lua<sup>T</sup>E<sub>X</sub> thinks it is not necessary: sometimes it is mistaken.

2. Create the list of the usable fonts and font variants:

```
bookshelf-listallfonts [options] > allfonts
```

The script lists all fonts in OTF, TTF or TTC format, known to Lua<sup>T</sup>E<sub>X</sub>. For scripts in OTF and TTF format it looks at the “interesting” Open Type features like swash and stylistic variant and lists them too. This means that the bookshelf might have spines typeset in the different variants of the same font—they are considered different fonts! You can change the list of feaures using the key `-f FEATURES_FILE`; see the doc directory for an example. The script tries to exclude broken font files; you can change the list with the key `-x EXCLUDED_PATTERNS`. Again, there is an example in the doc directory.

3. Create the `fontsel` directory and the file `pickfont.tex` using the command  
`bookshelf-mkfontsel allfonts`

### 1.3.2 Driver file

The distribution contains the file `spines.tex`

```
% !TEX TS-program = lualatex
% !TEX encoding = UTF-8 Unicode
% !BIB TS-program = bibtex
\documentclass[landscape]{bookshelf}
\begin{document}
\nocite{*}
\bibliography{sample}
\bibliographystyle{bookshelf}
\end{document}
```

Change `sample` to the name of your bibliography, and typeset the file using `lualatex` and `bibtex`.

You should see your books nicely placed on the shelves. The small numbers under each book are meaningful: they are the line numbers in the `allfonts` file. You may use them if you play “Guess the font” game.

### 1.3.3 Options

The class comes set for making an `a0paper` page ( $1189 \text{ mm} \times 841 \text{ mm}$  or  $4' 11" \times 2' 10"$ ) in landscape mode, suitable for large bibliographies. If you have a smaller `.bib` file, or if you want fewer volumes per page, you can change the paper size option in the `\documentclass` command to a smaller one: all the ‘A’ sizes from 5 to 0 are supported, plus the common US office sizes including Ledger (Tabloid).

There is also a portrait option to produce the page in that format instead of landscape.

## 1.4 Bugs

Some things don’t yet work as they should, and there are some features that may or may not make the final cut. Please report bugs at  
<https://github.com/borisveytsman/bookshelf>

## 2 Implementation

### 2.1 Auto-initialisation

This section is added automatically by *ClassPack* as a preamble to all classes and style packages. The `fixltx2e` package, which used to be included automatically, is no longer preloaded, as its features are now a part of the latest  $\text{\LaTeX} 2\epsilon$  kernel.

The code starts with identity and requirements which are generated automatically as needed by the Doc $\text{\TeX}$  system. For details see the `ltxdoc` package documentation.

- 1 \NeedsTeXFormat{LaTeX2e}[2017/04/15]
- 2 \ProvidesClass{bookshelf}[2020/05/24 v0.5]
- 3 Turn your bibliography into a bookshelf image]

- `fix-cm` Preloaded functions to override the default  $\text{\TeX}$  step-size font sizes (which can still be used, but are no longer restrictions).
- 4 \RequirePackage{fix-cm}
- `svgnames` Pass the `svgnames` option to the `xcolor` package if that gets loaded later. This avoids a conflict with any other packages (eg `hyperref`) which use their own default is when they load `xcolor`.
- 5 \PassOptionsToPackage{svgnames}{xcolor}

### 2.2 Options

The paper size and orientation are the only two valid options, both of which are the same as the standard `documentclass` options, and will be passed to the underlying class automatically, but they need recording so that they can be used by the `geometry` package. The default is for A0 paper, landscape.

- 6 \def\SIL@paper{a0paper}%
- 7 \DeclareOption{a0paper}{%
- 8 \def\SIL@paper{a0paper}%

```

9   \setlength{\paperheight}{1189mm}%
10  \setlength{\paperwidth}{841mm}%
11  \DeclareOption{a1paper}{%
12    \def\SIL@paper{a1paper}%
13    \setlength{\paperheight}{841mm}%
14    \setlength{\paperwidth}{594mm}%
15  }%
16  \DeclareOption{a2paper}{%
17    \def\SIL@paper{a2paper}%
18    \setlength{\paperheight}{594mm}%
19    \setlength{\paperwidth}{420mm}%
20  }%
21  \DeclareOption{a3paper}{%
22    \def\SIL@paper{a3paper}%
23    \setlength{\paperheight}{420mm}%
24    \setlength{\paperwidth}{297mm}%
25  }%
26  \DeclareOption{a4paper}{%
27    \def\SIL@paper{a4paper}%
28    \setlength{\paperheight}{297mm}%
29    \setlength{\paperwidth}{210mm}%
30  }%
31  \DeclareOption{a5paper}{%
32    \def\SIL@paper{a5paper}%
33    \setlength{\paperheight}{210mm}%
34    \setlength{\paperwidth}{148mm}%
35  }%
36  \DeclareOption{letterpaper}{%
37    \def\SIL@paper{letterpaper}%
38    \setlength{\paperheight}{11in}%
39    \setlength{\paperwidth}{8.5in}%
40  }%
41  \DeclareOption{legalpaper}{%
42    \def\SIL@paper{legalpaper}%
43    \setlength{\paperheight}{14in}%
44    \setlength{\paperwidth}{8.5in}%
45  }%
46  \DeclareOption{executivepaper}{%
47    \def\SIL@paper{executivepaper}%
48    \setlength{\paperheight}{10.5in}%
49    \setlength{\paperwidth}{7.25in}%
50  }%
51  \DeclareOption{tabloidpaper}{%

```

```

52 \def\SIL@paper{tabloidpaper}%
53 \setlength\paperheight {17in}%
54 \setlength\paperwidth {11in}%
55 \def\SIL@orient{landscape}%
56 \DeclareOption{landscape}{%
57   \def\SIL@orient{landscape}%
58   \setlength{@tempdima}{\paperheight}%
59   \setlength\paperheight {\paperwidth}%
60   \setlength\paperwidth {@tempdima}%
61 \DeclareOption{portrait}{%
62   \def\SIL@orient{}}

```

## 2.3 Load the document base class

- report** This class is based on the standard L<sup>A</sup>T<sub>E</sub>X report class, with no special options except the extra sizes defined above. The default is A0 paper; landscape.

```

63 \DeclareOption*{\ClassWarning{bookshelf}{%
64   Unknown option `CurrentOption', please RTFM}}%
65 \ProcessOptions\relax
66 \LoadClass{report}

```

## 2.4 Packages required for the class or package

- fontspec** Font specification setup for use with X<sub>Ǝ</sub>L<sup>A</sup>T<sub>E</sub>X.

```
67 \RequirePackage{fontspec}%
```

- calc** Required for calculations involving lengths or counters, such as changes to widths for margin adjustment.

```
68 \RequirePackage{calc}%
```

- fp** Used for fixed-point calculations;

```
69 \RequirePackage{fp}%
```

- graphicx** Provide for graphics (PNG, JPG, or PDF format (only) for pdflatex; EPS format (only) for standard L<sup>A</sup>T<sub>E</sub>X).

```
70 \RequirePackage{graphicx}%
```

`xcolor` Provide color.

```
71  \RequirePackage{xcolor}%
72  \@ifundefined{T}{%
73    \newcommand{\T}[2]{\fontencoding{T1}%
74      \selectfont#2}}{}}
```

There seems to be a bug in the T1 encoding of some package (unidentified, but possibly `xcolor`) which uses the command `\T`, which is an impossibility (no digits allowed in command names). So we fake it here to stop L<sup>A</sup>T<sub>E</sub>X complaining, by dropping the first argument on the floor.

`eso-pic` Add picture commands (or backgrounds) to every page.

```
75  \RequirePackage{eso-pic}%
```

`geometry` Package for establishing margins and text area.

```
76  \RequirePackage[|SIL@paper,|SIL@orient,nohead,
77  nofoot,margin=1cm]{geometry}%
```

## 2.5 Non-package resources

`random.tex` There is one resource not available in packaged form, the module that lets L<sup>A</sup>T<sub>E</sub>X create random values. This is in `random.tex`, which on the author's system is hiding in a directory `texmf/tex/generic/genmisc/`, in the `texmf-dist` tree, and indexed by an ls-R database, so it should therefore be findable by any T<sub>E</sub>X system.

```
78  \input{random.tex}
```

## 2.6 The code

This is beta software: the code is messy and covered in tracing output.

### 2.6.1 Font selection

`maxfont` This is set in the `\input` file `pickfont.tex`, which is created by the preparatory data script `prepdata.sh`. It is the number of working text fonts found on the system.

```
79 \newcounter{SIL@maxfont}
```

`SIL@fontsel` This is set to a random number between one and `SIL@maxfont`, and used as the name of the file containing the font name.

```
80 \newcounter{SIL@fontsel}
```

`pickfont.tex` This file is created by the preparatory data script `prepdata.sh` after it sets up the subdirectory list of valid text fonts. It sets `SIL@maxfont` to the value of `SIL@maxfont`.

```
81 \input{pickfont.tex}
```

### 2.6.2 Color selection

`SIL@maxcolno` This value is set at the end of the file `svgnam.tex`. This is the number of color names found by the routine in `prepdata.sh` which extracts the color names.

```
82 \newcounter{SIL@maxcolno}
```

`svgnam.tex` The preparatory data script `prepdata.sh` retrieves the colors named in the `svgnames` option to the `xcolor` package and instantiates them as a `LATEX` `\ifcase` list in the file `svgnam.tex` as the command `\SIL@svgcolname`.

```
83 \input{svgnam.tex}
```

`SIL@loopcount` The random font selection is done in a loop because of the need to test the values. This counter counts the iterations...

```
84 \newcounter{SIL@loopcount}
```

`SIL@maxloop` ...and this one the limit.

```
85 \newcounter{SIL@maxloop}
```

`SIL@bgcolno` The colors are selected numerically. This value is the background color of the spine of a book.

86 `\newcounter{SIL@bgcolno}`

`SIL@fgcolno` And this is the foreground color, used to typeset the title and author on the spine of a book.

87 `\newcounter{SIL@fgcolno}`

`SIL@splitpoint` To make sure that `SIL@bgcolno` and `SIL@fgcolno` are distinct, we will need to pick one ‘dark’ and one ‘light’, crudely distinguished by examining their ‘brightness’ (monochrome intensity value) using the formula

$b = \sqrt{(.241r^2 + .691g^2 + .068b^2)}$  due to [Nir Dobovizki](#). From inspection, the modal point of the SVG values occurs around 0.6, so use this to determine if the randomly-selected color is ‘dark’ or ‘light’. Because it’s a decimal fraction, we express it as a dimension and strip off the ‘pt’ later.

88 `\newlength{\SIL@splitpoint}`

89 `\setlength{\SIL@splitpoint}{0.6pt}`

`\SIL@bgcol` We establish defaults for the background color...

90 `\def\SIL@bgcol{White}`

`\SIL@fgcol` ...and the foreground color.

91 `\def\SIL@fgcol{Black}`

`\SIL@bgval` The values computed by the `prepdata.sh` script and stored in `svgnam.tex` are decimal fractions, so they need to be retrieved as lengths. This is the background value...

92 `\newlength{\SIL@bgval}`

`\SIL@fgval` ...and the foreground value.

93 `\newlength{\SIL@fgval}`

\SIL@bgfgdiff The ‘dark’ or ‘light’ test discussed above also needs to test if the values are too close to the splitpoint. By examination, if the values have an absolute difference of 0.2 they should be visually distinct enough. The difference is calculated and stored in this length variable, as it’s a decimal fraction.

```
94 \newlength{\SIL@bgfgdiff}
```

\SIL@notyetcols In the testing for colors, the nested conditionals set this switch true or false, so that it can be used to control the iteration through successive attempts to find suitable random values.

```
95 \newif\ifSIL@notyetcols
```

### 2.6.3 Page border setup

\AddToShipoutPictureBG The page background color is set to a pale brown roughly matching the pine veneer of IKEA bookcases, with the inner page (behind the books) in a dark shadow brown. The technique for imposing a colored margin is due to [Ulrike Fischer](#) and uses the commands from the eso-pic package.

```
96 \pagecolor{BurlyWood}
97 \AddToShipoutPictureBG{%
98 \AtTextLowerLeft{\color{SaddleBrown}{%
99 \rule[-\footskip]{\textwidth}{%
100 \dimexpr\textheight+\footskip}}}}
```

### 2.6.4 Size and shape

Each book is assigned a random height and width, within the bounds set by the maxima and minima. The final dimensions may then be modified by the choice of layout and font.

```
101 \newlength{\SIL@bookheight}
102 \newlength{\SIL@bookwidth}
103 \newlength{\SIL@minbookwidth}
104 \newlength{\SIL@maxbookwidth}
105 \newlength{\SIL@minbookheight}
106 \newlength{\SIL@maxbookheight}
```

### 2.6.5 Title and author dimensions

The title and author need to be measured, and decisions are made about what size they need to be. The two layouts (author separately at the top, and author inline to title) are distinguished with the `\SIL@topauthor` conditional. If the title (with or without the author can fit on one line (rather than multiple lines) this is signalled with the `\SIL@titleoneline` conditional.

```
107 \newlength{\SIL@titlewidth}
108 \newlength{\SIL@authorwidth}
109 \newlength{\SIL@titleheight}
110 \newlength{\SIL@authorheight}
111 \newlength{\SIL@scaledtitle}
112 \newlength{\SIL@heightfortitle}
113 \newbox\SIL@titlebox
114 \newif\ifSIL@topauthor
115 \newif\ifSIL@titleoneline
```

### 2.6.6 Handling the math

`\SIL@scale` To extract the integer part of a fixed-point value, we define a simple strip which uses the integer and throws away the rest. The integer ends up in this counter.

```
116 \newcounter{SIL@scale}
```

`\SIL@scaleint` The integer macro returns the counter above.

```
117 \def\SIL@scaleint#1.#2\sentinel{%
118   \setcounter{SIL@scale}{#1}}
```

### 2.6.7 Settings

We set the space around a box and the thickness of the rule, and remove the page numbers.

```
119 \fboxsep1em\fboxrule.1pt
120 \pagestyle{empty}
```

### 2.6.8 Auxillary macro: fitting text in a box

`\SIL@fittext` For typesetting title we use an auxillary macro `\SIL@fittext`. It has four parameters: the text to be typeset, the width ( $W$ ), the height  $H$ , and the box  $W \times H$  to put the text into. We

want to get the maximal font size that still fits in the box. Unfortunately there is a limitation on the maximal number of fonts  $\text{\TeX}$  can handle (currently 9000 by default). Since each size change counts as a new font, things can quickly go out of hand. Therefore instead of scaling the font we scale the box.

So our aim is to find the maximal scaling factor  $S$  such as (1) the text is typeset in a  $w \times h$  box, (2) the text box scales to the given width,  $W = Sw$ , (3) the text box does not overflow the height,  $H \leq Sh$ .

The algorithm is the following:

1. If the text fits in one line, we expand the box for the line to occupy  $W$ , setting  $S = W/w$ .
2. Otherwise, we try to typeset the text in the box of horizontal size  $W$  ( $S = 1$ ) and calculate box height  $h$ . We determine how much we can expand or shrink the box, setting  $S = H/h$ .
3. We typeset the text in the box of width  $w = W/S$ .
4. Due to changed line breaks its height  $h$  might be higher than  $H/S$ . In this case we start to decrease  $S$  by 5% on each step and repeat typesetting until  $w \leq W/S$

Now, the implementation.

First, we calculate  $W$  and  $H$  by stripping the pt dimension

```
121 \def\SIL@fittext#1#2#3#4{%
122   \@tempdima=#2\relax
123   \edef\SIL@W{\strip@pt\@tempdima}%
124   \@tempdima=#3\relax
125   \edef\SIL@H{\strip@pt\@tempdima}%
```

Try to set up the text in one line

```
126 \setbox#4=\hbox{\raggedright\noindent#1}%
127 \@tempdima=\wd#4\relax
128 \edef\SIL@w{\strip@pt\@tempdima}%
129 \ifdim#2>\@tempdima\relax
130   \FPeval\SIL@S{\SIL@W/\SIL@w}%
131   \typeout{Text fits in one line: have H=\SIL@w pt, want \SIL@W pt}%
```

```

132      \typeout{Trying S=\SIL@S}%
133      \else

```

We start with the scale factor  $S = 1$ . We add `\vskip0pt` to the text to set the box depth to zero.

```

134      \typeout{Text does not fit in one line}%
135      \def\SIL@S{1}%
136      \FPeval\SIL@w{\SIL@W/\SIL@S}%
137      \setbox#4=\vbox{\hsize=\SIL@w pt\relax
138          \raggedright\noindent#1\vskip0pt}%
139      \tempdima=\ht#4\relax
140      \edef\SIL@h{\strip@pt\tempdima}%
141      \tempdima = \SIL@S \tempdima\relax
142      \typeout{Trying S=\SIL@S. Got H=\the\tempdima. Want \SIL@H pt}%
143      \FPeval\SIL@S{\SIL@H/\SIL@h}%
144      \fi

```

Rescaling the box for the first time. If  $S$  on the previous step is below 1, start again with 1.

```

145      \FPmax\SIL@S\SIL@S{1}%
146      \FPeval\SIL@w{\SIL@W/\SIL@S}%
147      \setbox#4=\vbox{\hsize=\SIL@w pt\relax
148          \raggedright\noindent#1\vskip0pt}%
149      \tempdima=\ht#4\relax
150      \edef\SIL@h{\strip@pt\tempdima}%
151      \tempdima = \SIL@S \tempdima\relax
152      \typeout{Trying S=\SIL@S. Got H=\the\tempdima. Want \SIL@H pt}%

```

If the text does not fit, keep reducing it by 5% at a time

```

153      \ifdim\tempdima>#3\relax
154      \loop
155          \FPeval\SIL@S{0.95*\SIL@S}%
156          \FPeval\SIL@w{\SIL@W/\SIL@S}%
157          \setbox#4=\vbox{\hsize=\SIL@w pt\relax
158              \raggedright\noindent#1\vskip0pt}%
159          \tempdima=\ht#4\relax
160          \edef\SIL@h{\strip@pt\tempdima}%
161          \tempdima = \SIL@S \tempdima\relax
162          \typeout{Trying S=\SIL@S. Got H=\the\tempdima. Want \SIL@H pt}%
163          \ifdim\tempdima>#3\repeat
164      \fi

```

And the final typesetting

```

165  \setbox#4=\vbox to #3{\hsize=#2\relax
166  \vfill
167  \noindent
168  \scalebox{\SIL@S}{\vbox{\hsize=\SIL@w pt\relax
169  \raggedright\noindent#1\vskip0pt}}%
170  \vfill}%
171 }
```

### 2.6.9 Selecting the font for the book

In a multilingual library some books can be typeset only in specific fonts. Here we randomly select a font to typeset the given book.

We define a macro that checks whether the given string can be typeset in the font just defined by fontspec.

We write the program in expl3 syntax because it has nice mapping subroutines and because fontspec internal variables are in expl3.

```
172 \ExplSyntaxOn
```

An auxillary routine checking whether the character can be typeset with the current font. Copied from fontspec internals

```

173 \prg_new_conditional:Nnn \__SIL_primitive_font_glyph_if_exists:n {TF,F}
174 {
175   \tex_iffontchar:D \SILmfont '#1 \scan_stop:
176   \prg_return_true:
177   \else:
178   \prg_return_false:
179   \fi:
180 }
```

And the document command

```

181 \prg_new_conditional:Nnn \__SIL_can_typeset:n {TF}
182 {
183   \typeout{Trying ~ to ~ typeset ~ #1}
184   \bool_set_true:N \l_tmpa_bool
185   \str_map_inline:nn {#1} {
186     \__SIL_primitive_font_glyph_if_exists:nTF {##1} {}{}
```

```

187      \bool_set_false:N \l_tmpa_bool
188      \typeout{Cannot ~ typeset ~ ##1}
189      \str_map_break:
190    }
191  }
192  \bool_if:nTF \l_tmpa_bool {\prg_return_true:} {\prg_return_false:}
193 }
194
195 \cs_generate_variant:Nn \__SIL_can_typeset:nTF {x}
196
197 \NewDocumentCommand\CanTypesetTF { m m m }{
198   \__SIL_can_typeset:xTF{#1}{#2}{#3}
199 }
200 \ExplSyntaxOff

```

We define some counters and flags for the font selection

```

201 \def\SIL@maxfonttries{100}
202 \newif\ifSIL@fontfound

```

Another twist is that we cannot have too many fonts used. Therefore we add all fontsel files to a stack, and after having 2100 of them, we reuse opened files. Again, it is easy to do in expl3.

```

203 \ExplSyntaxOn
204 \seq_new:N \l__SIL_fontstack
205 \NewDocumentCommand\AddFontToStack {m} {
206   \seq_gput_right:Ne \l__SIL_fontstack {#1}
207 }
208 \NewDocumentCommand\ReuseFont {} {
209   \seq_rand_item:N \l__SIL_fontstack
210 }
211 \ExplSyntaxOff
212 \newcount\SIL@num@fontsel@files
213 \SIL@num@fontsel@files=0
214 \def\SIL@max@fontsel@files{5500}

```

### 2.6.10 Making the book

The `\makebook` macro is huge, and handles all the detail of making a book spine. It takes two mandatory arguments: the author and the title of the book.

\makebook Start by announcing the entry label and setting the values that need to be reset every time.

```

215 \newcommand{\makebook}[2]{%
216   \typeout{^^JTypesetting #1---#2}%
217   \setcounter{SIL@maxloop}{10}%
218   \setcounter{SIL@loopcount}{0}%
219   % observed
220   \setlength{\SIL@minbookwidth}{5mm}%
221   \setlength{\SIL@maxbookwidth}{20mm}%
222   % A5 to A4 height
223   \setlength{\SIL@minbookheight}{70mm}%
224   \setlength{\SIL@maxbookheight}{110mm}%
225   \setlength{\SIL@bookwidth}{0pt}%
226   \setlength{\SIL@bookheight}{0pt}%
227   \setlength{\SIL@heightfortitle}{0pt}%
228   \SIL@topauthorfalse

```

\loop Start a loop which will pick two random integers, one for background and one for foreground colors. Look these up in the \SIL@svgcolval (in svgnam.tex) to get the brightness values, and calculate the absolute distance between them.

```

229 \loop
230   \addtocounter{SIL@loopcount}{1}%
231   \typeout{Try \theSIL@loopcount}%
232   \setrannum{\c@SIL@bgcolno}{1}{%
233     \c@SIL@maxcolno}%
234   \typeout{BG=\theSIL@bgcolno}%
235   \setrannum{\c@SIL@fgcolno}{1}{%
236     \c@SIL@maxcolno}%
237   \typeout{FG=\theSIL@fgcolno}%
238   \setlength{\SIL@bgval}{%
239     \SIL@svgcolval{\theSIL@bgcolno}pt}%
240   \typeout{BGval=\the\SIL@bgval}%
241   \setlength{\SIL@fgval}{%
242     \SIL@svgcolval{\theSIL@fgcolno}pt}%
243   \typeout{FGval=\the\SIL@fgval}%
244   \setlength{\SIL@bgfgdiff}{%
245     \SIL@bgval - \SIL@fgval}%
246   \typeout{Split gap is \the\SIL@bgfgdiff}%
247   \ifdim\SIL@bgfgdiff<0pt
248     \setlength{\SIL@bgfgdiff}{%

```

```

249      \SIL@fgval - \SIL@bgval}%
250      \typeout{Using absolute value
251      \the\SIL@bgfgdiff}%
252  \fi

```

The colours need to be separated either side of the 0.6 splitpoint value of the calculated brightness, so make this the outer test, and make the inner test for the separation difference. This will return true if the colors are separated enough, and come from opposite sides of the split point. If `SIL@maxloop` the loop makes `SIL@maxloop` iterations without finding a pair of values, use the default white on black.

```

253  \ifdim\SIL@bgval<\SIL@splitpoint
254  \ifdim\SIL@fgval>\SIL@splitpoint
255  \ifdim\SIL@bgfgdiff>0.2pt
256  \SIL@notyetcolsfalse
257  \else
258  \SIL@notyetcolstrue
259  \fi
260  \else
261  \SIL@notyetcolstrue
262  \fi
263 \else
264 \ifdim\SIL@fgval<\SIL@splitpoint
265 \ifdim\SIL@bgfgdiff>0.2pt
266 \SIL@notyetcolsfalse
267 \else
268 \SIL@notyetcolstrue
269 \fi
270 \else
271 \SIL@notyetcolstrue
272 \fi
273 \fi
274 \typeout{BG=\the\SIL@bgcolno,
275           FG=\the\SIL@fgcolno}%
276 \ifnum\c@SIL@loopcount>\c@SIL@maxloop
277 \SIL@notyetcolsfalse
278 \fi
279 \ifSIL@notyetcols\repeat
280 \def\SIL@bgcol{\SIL@svgcolname{%
281           \the\SIL@bgcolno}}%
282 \def\SIL@fgcol{\SIL@svgcolname{%

```

```

283      \theSIL@fgcolno}}%
284 \ifnum\c@SIL@loopcount>\c@SIL@maxloop
285   \typeout{Using default colors after \the\c@SIL@maxloop\space at-
286   \def\SIL@bgcol{Black}%
287   \def\SIL@fgcol{White}%
288   \fi
289 \typeout{BG=\SIL@bgcol, FG=\SIL@fgcol}%

```

Now pick a random font: the files generated by `prepdata.sh` are named as integers with a `.tex` extension in the `fontsel` directory. These files load the font as `\SILmfont` (no @ sign, because this is occurring in user mode), and define `\SILmfontname` as the name (for the same reason).

```

290 \c@SIL@loopcount=1\relax
291 \loop
292 \ifnum\SIL@num@fontsel@files<\SIL@max@fontsel@files
293   \advance\SIL@num@fontsel@files by 1\relax
294 \typeout{Opening new fontsel file, counter=\the\SIL@num@fontsel@files}%
295   \setrannum{\c@SIL@fontsel}{1}{\c@SIL@maxfont}%
296   \AddFontToStack{\the\c@SIL@fontsel}%
297 \else
298   \typeout{Reusing fontsel file}%
299   \expandafter\c@SIL@fontsel\ReuseFont\relax
300 \fi
301 \input{fontsel/\theSIL@fontsel.tex}\unskip%
302 \typeout{Trying \SILmfontname, attempt \the\c@SIL@loopcount}%
303 \CanTypesetTF{\#2---\#1}{\global
304   \SIL@fontfoundtrue}{\global
305   \SIL@fontfoundfalse}%
306 \ifSIL@fontfound
307   \c@SIL@loopcount=\SIL@maxfonttries\relax
308 \else
309   \addtocounter{SIL@loopcount}{1}%
310 \fi
311 \ifnum\c@SIL@loopcount<\SIL@maxfonttries\repeat
312 \ifSIL@fontfound
313 \typeout{Set in \SILmfontname}%

```

Measure the author width and height at the default size (10pt). If the author fits in 90% of the maximum width of the book, we put it at the top of the spine and shrink the book

width to 1.1 times the set width, provided that is not less than the defined minimum width. The book width is therefore fixed at this point and won't change later.

```

314  \settowidth{\SIL@authorwidth}{%
315      \SILmfont#1}%
316  \typeout{Author width: \the\SIL@authorwidth}%
317  \settoheight{\SIL@authorheight}{%
318      \SILmfont#1}%
319  \typeout{Author height: \the\SIL@authorheight}%
320  \ifdim\SIL@authorwidth<.9\SIL@maxbookwidth
321      \typeout{Author width is less than 90\%
322          of \the\SIL@maxbookwidth}%
323  \setlength{\SIL@bookwidth}{%
324      1.1\SIL@authorwidth}%
325  \typeout{Book width set to \the\SIL@bookwidth}%
326  \ifdim\SIL@bookwidth<\SIL@minbookwidth
327      \setlength{\SIL@bookwidth}{%
328          \SIL@minbookwidth}%
329      \typeout{Book width reset to min
330          \the\SIL@minbookheight}%
331  \fi
332  \SIL@topauthortrue
333 \else
334  \typeout{Author won't fit in .9 of
335          \the\SIL@maxbookwidth}%
336 \fi

```

We now have enough data to make a shot at the dimensions. Pick a random book height and set the height available for the title (set sideways) to 90% of that, so that it fits comfortably. Then if the author was earlier assigned to the top of the spine, reduce this height available for the title by 1.2 times the height occupied by the author (again, to leave a little space). In this case, the width has already been set; otherwise, generate a random width now.

```

337  \typeout{Limits: width=\the\SIL@minbookwidth
338      -\the\SIL@maxbookwidth;
339      height=\the\SIL@minbookheight
340      -\the\SIL@maxbookheight}%
341  \setrandim{\SIL@bookheight}%
342      {\SIL@minbookheight}%

```

```

343      {\SIL@maxbookheight}%
344  \typeout{Height generated as
345      \the\SIL@bookheight}%
346  \setlength{\SIL@heightfortitle}{%
347      {.9}\SIL@bookheight}%
348  \typeout{Height available for title (90\%):%
349      \the\SIL@heightfortitle}%
350  \ifSIL@topauthor
351      \typeout{Width set because author fits:%
352          \the\SIL@bookwidth}%
353      \addtolength{\SIL@heightfortitle}{%
354          {-1.2}\SIL@authorheight}%
355      \typeout{Height available for title reset to%
356          \the\SIL@heightfortitle}%
357  \else
358      \setrandim{\SIL@bookwidth}{%
359          {\SIL@minbookwidth}{%
360              {\SIL@maxbookwidth}}}
361  \typeout{Width generated as%
362          \the\SIL@bookwidth}%
363  \fi

```

Finally, set a `\vbox` to the defined width *less* the space occupied by the `\fcolorbox` border and rule; then set the `\fcolorbox` with the chosen colors, with the author at the top if that's what was selected earlier, and the title below, either scaled using `\scalebox` if it was a single-line title, or with the amended font size if it was a multiline title.

For a setting with the author inline to the title, just do the scaling of the title.

```

364  \leavevmode\vbox{\hsize\SIL@bookwidth
365      \advance\hsize by2\fboxsep
366      \advance\hsize by2\fboxrule
367  \fcolorbox{black}{\SIL@bgcol}{%
368      \ifSIL@topauthor
369          \typeout{Setting with top author}%
370          \vbox to\SIL@bookheight{\hsize\SIL@bookwidth
371              \typeout{Spine is a vbox to
372                  \the\SIL@bookheight,
373                  hsize=\the\SIL@bookwidth}%
374              \centering
375              \SILmfont\color{\SIL@fgcol}%

```

```

376      #1%
377      \par\vfill
378      \SIL@fittext{\color{\SIL@fgcol}\SILmfont
379          #2}{\SIL@heightfortitle}{\SIL@bookwidth}%
380          {\SIL@titlebox}%
381          \rotatebox{90}{\box\SIL@titlebox}%
382          }%
383      \else
384          \typeout{Setting author inline to title}%
385          \vbox to\SIL@bookheight{\hsize\SIL@bookwidth
386              \SIL@fittext{\color{\SIL@fgcol}\SILmfont
387                  #1\quad
388                  ---\quad#2}{\SIL@bookheight}{\SIL@bookwidth}%
389                  {\SIL@titlebox}%
390                  \rotatebox{90}{\box\SIL@titlebox}%
391                  }%
392          \fi
393      }%

```

At the bottom, add a colored bar to fake up the shelf the books stand on. The number is the number of the font that was selected, and is there for error-tracing purposes only.

```

394  \\\fboxsep0pt\fboxrule0pt%
395  \colorbox{BurlyWood}{\hbox to\hsize{%
396      \hfil\vrule height3mm depth6mm width0pt
397      \normalsize\scriptsize\theSIL@fontsel\hfil} }%
398  }%
399  \penalty0
400 \else % font not found
401     \typeout{Did not find font for #1--#2}%
402
403 \fi}
404 \raggedright

```

## References

- [1] Scott O. Bradner. *Key words for use in RFCs to Indicate Requirement Levels*. RFC 2119. Mar. 1997. doi: [10.17487/RFC2119](https://doi.org/10.17487/RFC2119). url: <https://www.rfc-editor.org/info/rfc2119>.
- [2] Kovid Goyal. *calibre User Manual*. 2024. url: <https://manual.calibre-ebook.com/>.
- [3] Boris Veytsman. “Extending Peter Flynn’s bookshelf package for multilanguage libraries”. In: *TUGboat* 45.2 (2024), pp. 193–195. doi: [10.47397/tb/45-2/tb140veytsman-bookshelf](https://doi.org/10.47397/tb/45-2/tb140veytsman-bookshelf). url: <https://tug.org/TUGboat/tb45-2/tb140veytsman-bookshelf.pdf>.

# Change History

|      |  |   |  |   |   |
|------|--|---|--|---|---|
| v0.1 | General: First packaged draft:<br>Done manually from .tex<br>file. . . . .   | 1 | processing sgml.bib; 2)<br>Removed sgml.bib as<br>example until problems are<br>resolved; 3) Backtracked on<br>attempt to use the<br>monographic title for<br>articles, chapters, etc; 4)<br>Revised notes on<br>production. . . . . | 1   |   |
| v0.2 | General: Started<br>documentation: Code doc<br>done, user doc still missing.   | 1 |  |   |   |
| v0.3 | General: Finished first pass on<br>documentation: 1) Done<br>preliminary testing; 2)<br>Script adapted for Mac OS X. | 1 |  |   |   |
| v0.4 | General: Completed<br>documentation: 1) Updated<br>note on bug in biber when   |   | v0.5   | General: Finished initial<br>testing: Replaced hyperref<br>with hypdoc to avoid<br>makeindex bug. . . . . | 1 |
| v1.0 | General: New maintainer.<br>Starting rewriting . . . . .   | 1 |  |   |   |

# Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

## A

- \AddFontToStack ..... 205, 296
- \addtocounter ..... 230, 309
- \addtolength ..... 353
- \AddToShipoutPictureBG ..... 97
- \AtTextLowerLeft ..... 98

## B

- \bool ..... 184, 187, 192
- \box ..... 381, 390

## C

- \c@SIL@bgcolno ..... 232
- \c@SIL@fgcolno ..... 235
- \c@SIL@fontsel ..... 295, 296, 299
- \c@SIL@loopcount ..... 276, 284, 290, 302, 307, 311
- \c@SIL@maxcolno ..... 233, 236
- \c@SIL@maxfont ..... 295
- \c@SIL@maxloop ..... 276, 284, 285
- \CanTypesetTF ..... 197, 303
- \centering ..... 374
- \ClassWarning ..... 63
- \color ..... 98, 375, 378, 386
- \colorbox ..... 395
- \cs ..... 195
- \CurrentOption ..... 64

## D

- \DeclareOption 7, 11, 15, 19, 23, 27, 31, 35, 39, 43, 47, 51, 56, 61, 63
- \dimexpr ..... 100

## E

- \ExplSyntaxOff ..... 200, 211
- \ExplSyntaxOn ..... 172, 203

## F

- \fboxrule ..... 119, 366, 394

- \fboxsep ..... 119, 365, 394
- \fontencoding ..... 73
- \footskip ..... 99, 100
- \FPeval ..... 130, 136, 143, 146, 155, 156
- \FPmax ..... 145

## H

- \hsize ..... 137, 147, 157, 165, 168, 364, 365, 366, 370, 385, 395

## I

- \ifdim ..... 129, 153, 163, 247, 253, 254, 255, 264, 265, 320, 326
- \ifSIL@fontfound ..... 202, 306, 312
- \ifSIL@notyetcols ..... 95, 279
- \ifSIL@titleoneline ..... 115
- \ifSIL@topauthor ..... 114, 350, 368

## L

- \LoadClass ..... 66

## N

- \newbox ..... 113
- \newcommand ..... 73, 215
- \newcounter ..... 79, 80, 82, 84, 85, 86, 87, 116
- \NewDocumentCommand ..... 197, 205, 208
- \newif ..... 95, 114, 115, 202
- \newlength ..... 88, 92, 93, 94, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112
- \noindent ..... 126, 138, 148, 158, 167, 169
- \normalfont ..... 397

## P

- \pagecolor ..... 96
- \pagestyle ..... 120

- \paperheight .... 9, 13, 17, 21, 25, 29, 33, 37, 41, 45, 49, 53, 58, 59
- \paperwidth .... 10, 14, 18, 22, 26, 30, 34, 38, 42, 46, 50, 54, 59, 60
- \PassOptionsToPackage ..... 5
- \prg ..... 173, 176, 178, 181, 192
- \ProcessOptions ..... 65
  
- Q**
- \quad ..... 387, 388
  
- R**
- \RequirePackage .....  
.... 4, 67, 68, 69, 70, 71, 75, 76
- \ReuseFont ..... 208, 299
- \rotatebox ..... 381, 390
- \rule ..... 99
  
- S**
- \scan ..... 175
- \sentinel ..... 117
- \seq ..... 204, 206, 209
- \setrandim ..... 341, 358
- \setrannum ..... 232, 235, 295
- \settoheight ..... 317
- \SIL@authorheight 110, 317, 319, 354
- \SIL@authorwidth .....  
.... 108, 314, 316, 320, 324
- \SIL@bgcol ... 90, 280, 286, 289, 367
- \SIL@bgfgdiff ..... 94,  
244, 246, 247, 248, 251, 255, 265
- \SIL@bgval 92, 238, 240, 245, 249, 253
- \SIL@bookheight ..... 101, 226,  
341, 345, 347, 370, 372, 385, 388
- \SIL@bookwidth ..... 102, 225,  
323, 325, 326, 327, 352, 358,  
362, 364, 370, 373, 379, 385, 388
- \SIL@fgcol .....  
91, 282, 287, 289, 375, 378, 386
- \SIL@fgval .....  
93, 241, 243, 245, 249, 254, 264
- \SIL@fittext ..... 121, 378, 386
- \SIL@fontfoundfalse ..... 305
- \SIL@fontfoundtrue ..... 304
  
- \SIL@H .... 125, 142, 143, 152, 162
- \SIL@h ..... 140, 143, 150, 160
- \SIL@heightfortitle .....  
112, 227, 346, 349, 353, 356, 379
- \SIL@max@fontsel@files ... 214, 292
- \SIL@maxbookheight .....  
.... 106, 224, 340, 343
- \SIL@maxbookwidth .....  
.... 104, 221, 320, 322, 335, 338, 360
- \SIL@maxfonttries ... 201, 307, 311
- \SIL@minbookheight .....  
.... 105, 223, 330, 339, 342
- \SIL@minbookwidth .....  
.... 103, 220, 326, 328, 337, 359
- \SIL@notyetcolsfalse ... 256, 266, 277
- \SIL@notyetcolstrue 258, 261, 268, 271
- \SIL@num@fontsel@files .....  
.... 212, 213, 292, 293, 294
- \SIL@orient ..... 55, 57, 62, 76
- \SIL@paper ..... 6, 8, 12, 16, 20,  
24, 28, 32, 36, 40, 44, 48, 52, 76
- \SIL@S ..... 130, 132, 135,  
136, 141, 142, 143, 145, 146,  
151, 152, 155, 156, 161, 162, 168
- \SIL@scaledtitle ..... 111
- \SIL@scaleint ..... 117
- \SIL@splitpoint 88, 89, 253, 254, 264
- \SIL@titlebox 113, 380, 381, 389, 390
- \SIL@titleheight ..... 109
- \SIL@titlewidth ..... 107
- \SIL@topauthorfalse ..... 228
- \SIL@topauthortrue ..... 332
- \SIL@W 123, 130, 131, 136, 146, 156
- \SIL@w ..... 128, 130, 131,  
136, 137, 146, 147, 156, 157, 168
- \str ..... 185, 189
- \strip@pt 123, 125, 128, 140, 150, 160
  
- T**
- \tex ..... 175
- \textheight ..... 100
- \textwidth ..... 99
- \theSIL@bgcolno . 234, 239, 274, 281

|                             |                    |                  |          |
|-----------------------------|--------------------|------------------|----------|
| \theSIL@fgcolno . . .       | 237, 242, 275, 283 | \vrule . . . . . | 396      |
| \theSIL@fontsel . . . . .   | 301, 397           |                  |          |
| \theSIL@loopcount . . . . . | 231                |                  |          |
|                             |                    | <b>V</b>         | <b>W</b> |
| \vfill . . . . .            | 166, 170, 377      | \wd . . . . .    | 127      |